

# CO<sub>2</sub> Sample Lines



### CO<sub>2</sub> Sample Lines with Micro Filter & Orange Input Connector

- · Made of medical grade PVC material
- Tube length 3 meters, customization is acceptable
- Sampling lines for measurement of end-tidal CO2
- The filter protects monitor from moisture and contamination
- Male & Female Luer locks are compatible with most of the monitoring devices on the market.
- Box quantity of 50

Part No.

MP180003 3.0 m (10ft.) CO<sub>2</sub> Sample Line with Micro Filter, Male Luer connection

and Female Luer Orange Input Connector



### CO<sub>2</sub> Sample Lines with Inner "Star Lumen" Design

Box quantity of 50

#### **Male to Female Luer Connection**

MP0300 3.0 m (10ft.) CO<sub>2</sub> Sample Line M/F Luer connection MP0315 4.5 m (15ft.) CO<sub>2</sub> Sample Line M/F Luer connection MP0330 9.0 m (30ft.) CO<sub>2</sub> Sample Line M/F Luer connection

#### **Male to Male Luer Connection**


MP0500 3.0 m (10ft.) CO<sub>2</sub> Sample Line M/M Luer connection MP0515 4.5 m (15ft.) CO<sub>2</sub> Sample Line M/M Luer connection MP0530 9.0 m (30ft.) CO<sub>2</sub> Sample Line M/M Luer connection



An Australian owned and operated company



# CO<sub>2</sub> Sample Lines



### Anaesthesia Gas Sampling Line (Co-Extruded)

Monitoring of gas delivery and expiratory gases can give essential information on a ventilated patient's status. In low-flow anaesthesia in particular, accuate measurement of the inspiratory and expiratory volatile anesthetic concentrations is highly recommended.

The inner PE wall prevents absorbtion of anaesthetic agents into the tube walls, while the flexible PVC layer helps prevent kinks

- PVC / PE Material
- · Male / Male Luer connector
- Female / Female Luer connector
- · Male / Female Luer connector
- Box quantity of 50

 PH-7100-3M
 3.0m / 10 ft (OD 3.0mm; ID 1.2mm) Male / Male Luer Lock

 PH-7100-3F
 3.0m / 10 ft (OD 3.0mm; ID 1.2mm) Female / Female Luer Lock

 PH-7100-3
 3.0m / 10 ft (OD 3.0mm; ID 1.2mm) Male / Female Luer Lock



# All Purpose CO<sub>2</sub> Sampling Line with T-Connector & Micro Filter

- The T-Connector (22mmM / 15mmF x 15mmM) is placed between the Endotracheal Tube and Breathing Circuit of intubated patients, with standard sampling port connections to the expired gas monitor
- ABS Non-DEHP Materials, Latex Free
- CO2 Tube Length: 2.1 metres
- Filter: 0.2um Micron
- Box quantity of 25

Part No
T-Connector Size
Connection

PH-7700-M
22mmM/15mmF x 15mmM
Adult/Paediatric with 0.2um Filter

PH-7700-F
22mmM/15mmF x 15mmM
Adult/Paediatric with 0.2um Filter
Female Luer Lock

PH-7700-ST 22mmM/15mmF x 15mmM Ora Adult/Paediatric with 0.2um Filter (Pi

PH-7700-LT 22mmM/15mmF x 15mmM Adult/Paediatric with 0.2um Filter Orange Input Connector (Pictured)

Yellow Input Connector

Products you may also be interested in...



Oxygen Tubing



**Suction Tubing** 



Oxygen Therapy Masks



**CPAP Masks** 



www.parkerhealth.com.au www.parkerhealth.com.my www.parkerhealth.co.nz



Scan QR code to download pdf