



Aged Care

PRODUCT CATALOGUE 2024



AUSTRALIAN OWNED & OPERATED

Ideas Today for Tomorrow's Healthcare Products



Australian Head Office & Service Centre

Malaysian and International Head Office



Australian Distribution Centre



Company Profile

Founded in 1985, Parker Healthcare Pty Ltd is an Australian owned and operated medical supply company, with offices located in all main states of Australia and international offices in both New Zealand and Malaysia.

As a Quality Assured ISO 9001:2015 accredited company, Parker Healthcare supplies a diverse range of products that covers the neonatal through to adult divisions of the hospital. These segments include, but are not limited to; Anaesthesia and Respiratory Care, Infant and Paediatric Care, Maternity, Emergency and ICU.

Parker Healthcare have specialised divisions covering Hospital, Pharmacy, Aged Care, Veterinary and Home Healthcare, enabling the purchase and supply of products specific to these industries.

Parker Healthcare is committed to working towards continual improvement in the quality of care given to all patients. Through understanding our customers' needs and expectations this enables us to develop consumables and equipment to address the changing needs of both Australian and International healthcare.

Core Capabilities

- Own manufacturing facility in Malaysia (approx. 32,000 sq ft)
- Outstanding customer service
- Wide range of products
- Stringent quality control checks
- Highly experienced and trained workforce with over 35 years of industry experience
- Service Department for fast and local service & maintenance of goods
- ISO 9001:2015 Accredited

Mr. Ian Bird
Managing Director



Aged Care



Pharmacy



Hospital



Home Health





Veterinary



www.parkerhealth.com.au

Contents





The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

VISIOFOCUS® Non-contact Thermometer with projected temperature image

- Environment and ambient working temperature: 16 - 40°C
- Forehead measuring range: 34 - 42.5°C
- General measuring range: 1 - 55°C
- Quick calibration with MQCS & AQCS
- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- Measures and projects the temperature of objects, food, liquids and the skin, as well as the ambient temperature.
- 5 Colour illuminated display.
- 9 Recallable memories.

Part No	Description
06400	Visiofocus Non-contact Image Projector Thermometer



Body Temperature	Bottle	Food	Bath	Bedding	Skin Temperature	Ambient	Memory Recall



The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

VISIOFOCUS® PRO Non-contact Thermometer with projected temperature image

- Quick calibration with MQCS
- Environment and ambient working temperature: 0 - 45°C
- Forehead measuring range: 34 - 42.5°C
- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- 5 Colour illuminated display.
- 9 Recallable memories.
- Gives temperature reading in less than 1 second
- Can take the temperature of up to 1,000 patients per hour

Part No	Description
06480	Visiofocus PRO Non-contact Image Projector Thermometer



BODY TEMPERATURE	OBJECTS	MEMORY	AMBIENT	CALIBRATION MQCS



PARKERmed Non-contact Infrared Thermometer

- Comparatively lightweight and small in size
- Adopting reliable sensor made in Germany
- All-new & Patented probe design to ensure high accuracy
- Measurement mode for human body and object available. One button to switch measurement mode
- Beeper for fever or high temperature
- 3 Colours Backlight LCD for easy reading
- C / F reading available
- 10 memories
- Automatic shut off

Part No	Description
PM9000	Non-contact Infrared Thermometer



Alarm Colours:
Normal
 Slight Fever
 High Fever



The Measurement distance 5 - 8cm




Measurement of object surface

PARKERmed Non-contact Infrared Thermometer


- Comparatively lightweight and small in size
- Rapid Temperature Measurement
- Fever Alert Setting
- Stores Last 10 Readings
- Motor Vibration Reminder
- High Quality Sensor for Accurate Temperature Measurement
- Two Measurement Modes for Body or Object
- Automatic Shut off
- Quality LCD Screen

Part No	Description
PM1000	Non-contact Infrared Thermometer






Can also be used to hold down face mask to stop glasses fogging up
See the results below



Without Parker Sil-Flex™ Silicone Tape



RESULTS WITH Parker Sil-Flex™ Silicone Tape

Parker Sil-Flex™ Silicone Fixation Tape

Applications:

- Fragile / Sensitive Skin: Neonates to Geriatric patients.
- Suitable on damaged skin such as Dialysis, Chemotherapy and Radiography patients.
- All types of fixation e.g. IV, Cannula, Tubes, Electrodes etc.

Product Features:

- Excellent adhesive property, leaves no residue.
- Does not stick to hair.
- Waterproof.
- Suitable for Fragile / Sensitive Skin.
- Can be re-applied without losing the adhesiveness.
- **Patented design**, allowing you to tear to the desired length (perforated every 1cm) without compromising the tensile strength of the tape (no scissors required). (Applies only to PH-ST1519, PH-ST1525 & PH-ST5025)
- Transparent, soft and pliable, will not damage or disrupt any skin layers.
- Higher conforming property due to PU backing when compared to existing tapes.

Part No.	Description	QTY
PH-ST1519	1.5m Length Roll, 1.9cm Width, Perforated	Box of 6 rolls
PH-ST1525	1.5m Length Roll, 2.5cm Width, Perforated	Box of 6 rolls
PH-ST5025	5.0m Length Roll, 2.5cm Width, Perforated	Box of 6 rolls
PH-ST2050	5cm Length, 2.0cm Width, 2 strips/pack Beige	Box of 50 packs



PH-ST1519 1.5m Length, 1.9cm Width



PH-ST1525 1.5m Length, 2.5cm Width



PH-ST5025 5.0m Length, 2.5cm Width



PH-ST2050 5cm Length, 2cm Width. Beige



PARKERmed Talking Blood Pressure Monitor



- Large LCD Display with Tricolour backlight
- Memory function (2 users x 120 groups of measured values)
- Alarm function
- Auto power off 3 mins after last operation
- Irregular heart beat detection function
- Easy to operate, automatic operation
- LCD Display emits colour to reflect Low, Normal or High Blood Pressure reading

Part No	Description
PM-BP386A	Talking Blood Pressure Monitor



The Talking Blood Pressure Monitor



Blood Glucose Meter

- CE0123, ISO13485, GMP
- No Coding
- OEM Welcomed
- Accurate, Quick, Easy-to-use Blood Glucometer
- Alternative site testing
- Wide measuring range of 20 to 600 mg/dL
- Fast testing time in 6 seconds
- Only 0.7µL blood volume
- 120 test memory with date and time
- 7, 14 and 28 days average

Part No	Description
GM-01	Blood Glucose Meter - Complete Set
GM-01A	Blood Glucose Test Strip (Package of 25pcs strips)

Specifications:



Range of Glucose Measurement	20-600 mg/dL (1.1-33.3mmol/L)
Sample Type	Capillary Whole Blood
Calibration against (sample type)	Plasma - Equivalent
Test Time	6 seconds
Sample Volume	0.7µL
Sample Application	Capillary Effect
Operating Temperature	10-50°C (50~104°F)
Operating Humidity	20-80% RH
Memory Capacity	180
Risk Indicator	SMILE when test within 70-120mg/dL (3.9~6.6mmol/L) POUT when test <70 mg/dL (3.9mmol/L) or >180mg/dL (10mmol/L)
Average	7,14 and 28 days
Downloadable	RS-232
Battery Type	V Li-Battery (CR2032) x 1
Battery Life	More than 1,000 tests
Auto OFF	3 minutes
Meter Dimensions	80 x 48 x 15mm
Meter Weight	37g (including battery)





Bluetooth Adult Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂, PR, PI
- Colour OLED Display with 2 modes
- Suitable for Adult, Adolescent, Child & Infant
- Automatic power-off design
- Protective Carry Case

<i>Part No</i>	<i>Description</i>
PH-MD300C1218	Adult Finger Pulse Oximeter



Oxywatch Adult SpO₂ Finger Pulse Oximeter

- Dual colour OLED displays SpO₂, PR, Pulse bar, and waveform
- Low power consumption; real-time battery status indication
- Level 1-10 adjustable brightness.
- 6 display modes
- 2pcs AAA-size batteries; battery-low indicator
- Automatically power off

<i>Part No</i>	<i>Description</i>
PH-MD300C2F	Adult Finger Pulse Oximeter



Adult SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

<i>Part No</i>	<i>Description</i>
PH-MD300C22	Adult Finger Pulse Oximeter



Adult/Paediatric SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

<i>Part No</i>	<i>Description</i>
PH-MD300-C5	Adult/Paediatric Finger Pulse Oximeter



Paediatric SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Special cartoon design for children
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

<i>Part No</i>	<i>Description</i>
PH-MD300C52	Paediatric Finger Pulse Oximeter (Bear)
PH-MD300C53	Paediatric Finger Pulse Oximeter (Frog)
PH-MD300C55	Paediatric Finger Pulse Oximeter (Panda)





Portable Nebulizer

- Vibrating Mesh provides fine mist
- 5 µm particale spray above 60%
- Compact and Portable
- Automatic shutdown after 20 minutes
- Built-in Low Battery indicator
- Power options: 2 AA batteries or USB cable

Part No	Description
PH-NBM-1	Portable Mesh Nebulizer

Spare Parts:

Part No	Description
NML-006	Large mask
NMS-004	Small mask
NMP-002	Mouthpiece
PH-NBM-001	USB Power adaptor



Tiny Particle



Re-usable Nebulizer



Reliable Quality



Easy to Use

Specifications:

Power Consumption	< 1.5W
Working current consumption	< 500 mA
Sound level	Less than 50 dB at 1 metre
Operation environment	10 ~ 40°C (50°F ~ 104°F), 30% ~ 80% RH
Storage environment	-20 ~ 55°C (-4°F ~ 131°F). ≤85% RH
Nebulizers rate	≤ 0.2mL/min
Time AUTO-OFF	Power on, operation 20 min to auto-off
Medication bottle volume	6 mL
Ultrasonic Oscillation Frequency	103 KHZ ~ 120 KHZ ± 3K
Particle Size	5µm or less accounted for more than 60%
Battery life	Continuous operation ≥ 1 hour, (1.5V X2, AA, Alkaline)
Standards	EN60601-1-1, EN60601-1-2

Accessories:



Large Mask

Part No: NML-006



Small Mask

Part No: NMS-004



Mouthpiece

Part No: NMP-002



USB Power Adaptor

Part No: PH-NBM-001






CPR Resuscitators

Part No *Description*
PH30100 CPR Resuscitator with Case
 (Mask, one way valve and filter in a plastic case)



PH30103 Pocket CPR Resuscitator with Case on a Keyring
 (Shield and Valve/Filter in a plastic pocket case)



Oxygen Nasal Curved Tips Cannula

- Contoured soft cannula provides total patient comfort
- Star lumen tubing
- Flexible PVC tubing with standard connectors
- Over the ear fit secures position on the patient
- Latex and DEHP Free

<i>Part No.</i>	<i>Size</i>	<i>Tube Length</i>	<i>QTY</i>
PH2801	Adult	2.1 metre	50
PH2801-GR	Adult	2.1 metre, Green	50
PH2801-3GR	Adult	3 metre, Green	50
PH2803	Paediatric	2.1 metre	50
PH2803-3GR	Paediatric	3 metre, Green	50
PH2804	Infant	2.1 metre	50
PH2804-3GR	Infant	3 metre, Green	50
PH2805	Neonate	2.1 metre	50
PH2805-3GR	Neonate	3 metre, Green	50

Flared Tip

PH2801-F	Adult	2.1 metre	50
PH2801-F-GR	Adult	2.1 metre, Green	50
PH2801-F-3GR	Adult	3 metre, Green	50



“Softi” Smoothflow® Oxygen Nasal Curved Tips Cannula

- Contoured “Softi” Smoothflow® cannula provides total patient comfort
- Over the ear fit secures position on the patient

<i>Part No</i>	<i>Size</i>	<i>Connection</i>	<i>QTY</i>
DR-0161	Adult	6mm M Barbed Nipple	50
DR-0163	Paediatric	6mm M Barbed Nipple	50





“Softi” Smoothflow® Diagnostic Cannula

- Can be used in conjunction with pressure transducers or thermistors in Polysomnography (Sleep Studies)
- Optimizes pressure/snore waveform signals
- Inexpensive
- Contoured “Softi” Smoothflow® cannula provides total patient comfort
- Over the ear fit secures position on the patient
- Available in various lengths
- Male luer lock connection

Part No.	Size	Length	Connection	QTY
LD50ML61	Adult	50cm	Male Luer	50
LD50ML63	Paediatric	50cm	Male Luer	50
LD100ML61	Adult	100cm	Male Luer	50
LD100ML63	Paediatric	100cm	Male Luer	50
LD130ML61	Adult	130cm	Male Luer	50
LD130ML63	Paediatric	130cm	Male Luer	50

*Available with Female Luer upon request

High Flow Nasal Cannula



- Rotary connector, can be swivelled by user’s movement
- Lanyard hole, for hanging on user’s neck, to prevent the sudden pull to the ventilator

Part No	Size	QTY
PH14952	Extra-Small	25
PH14953	Small	25
PH14954	Medium	25
PH14955	Large	25

Non-Kink Star Lumen Disposable Oxygen Tubing



- Kink resistant tubing with inner star lumen design
- Flexible PVC tubing with standard connectors
- Lengths available in 2.1, 3, 4, 6, 10 and 15 metre variations
- Latex & DEHP Free

Part No	Description	QTY
PH3400-2.1	2.1 metre oxygen tubing	50
PH3400-2.1GR	2.1 metre oxygen tubing GREEN	50
PH3400-3	3 metre oxygen tubing	50
PH3400-3GR	3 metre oxygen tubing GREEN	50
PH3400-4	4 metre oxygen tubing	50
PH3400-6	6 metre oxygen tubing	25
PH3400-10GR	10 metre oxygen tubing GREEN	15
PH3400-15GR	15 metre oxygen tubing GREEN	10






Flexible Oxygen Bubble Tubing

- Flexible oxygen bubble tubing
- Available in 30 metre rolls
- Can be cut to any length as required
- Fits multiple oxygen therapy devices and connectors

OBTG-3-30 Oxygen Bubble Tubing
3.0 mm ID, Bubble every 90cm,
(30m per roll)



Part Number: **PH30038**
Description: Swivel Oxygen Connector
Accepts 3mm to 7mm ID Tubing
UOM: Each
Box Qty: 50



Part Number: **MP58003**
Description: Multi-size Tubing Joiner
Accepts 5mm to 8mm ID Tubing
UOM: Each
Box Qty: 50



Suction Connection Tubing

- Easy to apply to Suction Outlets
- Flexible tubing with Yellow hexagonal cuffed ends
- Minimal coil memory
- Clear PVC formulation with striated walls
- 6mm lumen

Part No	Length	Pack Type	Sterile	Box Qty
PH-DC6015	1.5m	Single	No	50
PH-DC6020	2.0m	Single	No	50
PH-DC6030	3.0m	Single	No	50
PH-DC6045	4.5m	Single	No	20
PH-DC6060	6.0m	Single	No	20

Meeting Australian Standards for Suction Colour Coding



Yankauer Suction Handpiece

Part No	Description	QTY
PH/YSH/001	Crown tip without Vent, Sterile Packed	100
PH/YSH/002	Crown tip with Vent, Sterile Packed	100





Easy Adjustment for Correct Forehead Support



Standard Headstrap Included



“Vented” Reusable ‘Cirri’ Full Face CPAP Masks with Headstrap

- NEW 3D mask cushion provides an excellent seal without tight headgear and discomfort
- Simple action to attach and detach the cushion from frame
- Quick release clips allow for easy removal of the headgear
- Innovative adjustable forehead support provides one-handed adjustment and stability
- Flexible, one-piece forehead pads evenly conform to the contour of the forehead
- Quiet air vent that minimizes noise and enable efficient CO2 washout and vented air is spread as a cloud so that it does not disturb patient or companion.

<i>Part No</i>	<i>Description</i>	<i>Size</i>	<i>QTY</i>
PH11343	Full Face	Small	Each
PH11344	Full Face	Medium	Each
PH11345	Full Face	Large	Each

Easy Adjustment for Correct Forehead Support



Standard Headstrap Included



“Vented” Reusable ‘Cirri’ Nasal Face CPAP Masks with Headstrap

- NEW 3D mask cushion provides an excellent seal without the discomfort of tight headgear
- Simple action to attach and detach the cushion from frame
- Quick release clips allow for easy removal of the headgear
- Innovative adjustable forehead support provides Innovative stability
- Flexible, one-piece forehead pads evenly conform to the contour of the forehead
- Quiet air vent that minimizes noise and enable efficient CO2 washout and vented air is spread as a cloud so that it does not disturb patient or companion.

<i>Part No</i>	<i>Description</i>	<i>Size</i>	<i>QTY</i>
PH11353	Nasal Face	Small	Each
PH11354	Nasal Face	Medium	Each
PH11355	Nasal Face	Large	Each





Oxygen Therapy Adult Elongated Mask with Oxygen Tubing

Disposable **Elongated** O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0188-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	Each
PH0188-2.1GR	<u>Elongated</u> Adult (2.1m Green Tubing)	Each



Aerosol Therapy Adult Masks With Tubing

Disposable Aerosol Therapy Mask with Elastic Strap, 10ml Nebulizer Bottle, 2.1m Oxygen Tubing Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0288N-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	Each
PH0288N-3GR	<u>Elongated</u> Adult (3m Green Tubing)	Each



Tracheostomy Masks with 6mm Connector

Part No	Description	QTY
PH30162	Disposable Adult O ₂ Tracheostomy Mask with Elastic Strap & 6mm Connector	Each
PH30163	Disposable Paediatric O ₂ Tracheostomy Mask with Elastic Strap & 6mm Connector	Each



PH51050902



PH51050901

HME Trach Filters


Description	HME Trach T	HME Trach Basic
Part Number	PH51050902	PH51050901
Connector	15F	15F
Dead Space	8ml	14ml
Pressure Drop	0.15KPa@30L/Min	0.15KPa@30L/min
Moisture output	≥26mg/L @ VT=500ml	≥26mg/L @ VT=500ml
Weight	7g	9g
Box quantity	100	100



With POP-OFF Valve

Disposable Manual Resuscitator with POP-OFF Valve


Part No	Description	QTY
PH60101	Adult, 1500ml Ventilation Bag, 60cmH ₂ O Pop-off Valve, Size 5 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60102	Paediatric, 550ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 3 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60103	Infant, 280ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 1 Disposable Mask, 600ml Reservoir Bag and 2.1m Non-Kink Tubing	12



Disposable Adult Smooth-Bor Tubing - 22mm

Part No	Colour	Length
MP-SB22N48	Natural	1.2m (48")
MP-SB22N72	Natural	1.8m (72")
MP-SB22N96	Natural	2.4m (96")
MP-SB22N120	Natural	3.0m (120")

*Other styles and lengths available upon request.



Reusable Adult Smooth-Bor Tubing with Cuff - 22mm

Part No	Length
SB403-48	1.2m (48")
SB403-72	1.8m (72")
SB403-96	2.4m (96")
SB403-120	3.0m (120")

*More lengths available upon request.

UltraMaxO₂ Oxygen Analyser for Oxygen Concentrators



The UltraMaxO₂ was designed for fast and easy verification of oxygen concentration, flow and outlet pressure of oxygen concentrators. Best of all, the UltraMaxO₂ provides unparalleled performance and reliability from its advanced design that includes the following features and operational benefits:

- Accurately measure O₂, flow and pressure
- No oxygen sensor required
- No in-field calibration
- Self-diagnostics
- Shielded, reinforced sample gas inlet port
- Includes silicone case for increased durability

Part No	Description
R221P11-001	UltraMaxO ₂ Oxygen Analyser

NOTE: Only to be used for analysis of Oxygen Concentrators

Perflow High Precision Flowmeter “Multy”

High precision flowmeter with pre-calibrated flows. The “click-style” positioning is accurate and prevents accidental flow changes.

- Pressure stabilised, micro regulator ensures flow accuracy in the event of changes to supply pressure.
- Compact & Robust
- Works at ANY angle
- Models available to suit a wide range
- No more expensive glass tube repairs
- No more “Guessing” of flow rates
- Allows fine titration of flows



Part No	Description
4540840	0 - 1 L/min Precision Oxygen Flowmeter
4540850	0 - 5 L/min Precision Oxygen Flowmeter
4540852	0 - 5 L/min Precision Air Flowmeter
4540860	0 - 15 L/min Precision Oxygen Flowmeter
4540870	0 - 15 L/min Precision Air Flowmeter
4540810	0 - 50 L/min Precision Oxygen Flowmeter
4540830	0 - 50 L/min Precision Air Flowmeter

Spare Parts	
Part No	Description
MP515916-W	White Nipple & Wingnut for Oxygen Flowmeters (9/16” UNF - US Thread)
MP515916-B	Black Nipple & Wingnut for Air Flowmeters (9/16” UNF - US Thread)
R219P50	2-in-1 Metal, Single (For Male DISS Thread Flowmeters)
R219P50/BSP	2-in-1 Metal, Single (For Male BSP Thread Flowmeters)



Comweld High and Low Flow Flowmeters




Part No	Description
515824	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 2.5 L/min (Comweld)
515800	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 15 L/min (Comweld)
515820	Ezi-Flow Air Flowmeter with Handwheel 0 - 15 L/min (Comweld)
516077	Oxygen Flowmeter 0 - 60 L/min (Comweld)



Spare Parts	Description
301827	Shroud, Ezi-Flow (Comweld)
515837	O-ring Service Kit, Ezi-Flow (Comweld)
515856	Spare Needle Valve Assy, Ezi-Flow (Comweld)
551120	Air Spare Parts Kit, Ezi-Flow (Comweld)
551129	Oxygen Spare Parts Kit, Ezi-Flow (Comweld)
MP515830	White Nipple & Wingnut for Oxygen Flowmeters (1/4" BSP Thread)
MP515849	Black Nipple & Wingnut for Air Flowmeters (1/4" BSP Thread)

Flowmeter Nipple and Wingnut



Part No	Description	QTY
MP515830	White Nipple & Wingnut for Oxygen Flowmeters (1/4" BSP Thread)	Pkt/10
MP515849	Black Nipple & Wingnut for Air Flowmeters (1/4" BSP Thread)	Pkt/10
MP515916-W	White Nipple & Wingnut for Oxygen Flowmeters (9/16" UNF - US Thread)	Pkt/10
MP515916-B	Black Nipple & Wingnut for Air Flowmeters (9/16" UNF - US Thread)	Pkt/10



O-Series Regulators (Comweld)



Part No	Description
518804	O-Series Oxygen Regulator with Yoke
518808	O-Series Nitrous Oxide Regulator with Yoke
518809	O-Series Air Regulator with Yoke
518810	Entonox Regulators with Yoke

Spare Parts	Description
519026	Kit, Service, Seat, Series-O
551022	Spare, Bodok Seals, Regulators (10/pack)
551024	Sintered Filter Kit
551033	Yoke Assembly Kit - Oxygen
551034	Yoke Assembly Kit - Air
551035	Yoke Assembly Kit - Nitrous Oxide
551042	Spare, Plain Gauge 30,000kPa for O-Series
551043	Spare, Nitrous Oxide Gauge 20,000kPa for O-Series
551044	Spare, Gauge, Air, 30,000kPa, O-Series
551045	Spare, Gauge, Oxygen, 30,000kPa, O-Series





P-300 Pressure Regulators

The P-300 oxygen pressure regulators are small, lightweight and ready to work up to a pressure of 300 bar. Perfect for achieving maximum precision in medical oxygen therapy with the highest number of flow steps (14) combined with the smallest flow range available on the market. The P-300 design includes clicks to indicate the flow rate selected.

Part No	Description
5503150	0 - 5 L/min Pressure Regulator (0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1, 1.5, 2, 2.5, 3, 4, 5)
5503250	0 - 15 L/min Pressure Regulator (0, 0.2, 0.5, 0.7, 1, 1.5, 2, 3, 4, 5, 7, 10, 12, 15)
5503350	0 - 30 L/min Pressure Regulator (0, 0.5, 1, 2, 3, 4, 5, 6, 8, 10, 15, 20, 25, 30)

For use with Oxymo Oxygen Conserver:

5501050	Outlet pressure 400kPa with DISS pressure outlet
5504050	0 - 30 L/min Pressure Regulator with 1 DISS auxillary pressure outlet (0, 0.5, 1, 2, 3, 4, 5, 6, 8, 10, 15, 20, 25, 30)



3-Way Adaptors

Part No	Description
<u>'Y' Body</u>	
PH551140/Y	3-Way Oxygen Adaptor (White)
PH551141/Y	3-Way Air Adaptor (Black)
<u>'T' Body</u>	
551140	3-Way Oxygen Adaptor (White) (Comweld)
551141	3-Way Air Adaptor (Black) (Comweld)
PH551140	3-Way Oxygen Adaptor (White)
PH551141	3-Way Air Adaptor (Black)
PH551142	3-Way Nitrous Oxide Adaptor (Blue)
PH551139/S	3-Way Suction Adaptor (Yellow)



Suction Attachments - Central Vacuum (with On-Off Tap)

Part No	Description
554006	Suction Attachment With Gauge (0 to -100kpa) (Comweld)
554007	Suction Attachment - without Gauge (Comweld)
PH554007	Suction Attachment - without Gauge

Spare Parts

Part No	Description
SF2000	Disposable Suction Filter
SFH3000	Disp. Outlet Nozzle / Filter Holder
SFK3000	Disposable Suction Filter Kit
522501	Spare Vacuum Gauge (0 to -100kpa)
7964024	Spare O-ring for Filter Kit

554006

554007

PH554007





SF2000 Suction Filter

The SF2000 is a disposable suction filter replacing the common sintered bronze style currently used in all Comweld and Clements suction attachments.

- REPLACES WA185 FILTER
- Suits Comweld (CIG) and Clements suction attachments
- Economical replacement
- Easy to change
- Time-saving
- Disposable - NO CLEANING

Part No	Description	QTY
SF2000	Suction Filter	20



SFK3000 Suction Filter Kit

Comweld Suction Filter Kits

Comprises of: Filter, Housing & O-ring

Part No	Description	QTY
SFK3000	Comweld Suction Filter Kit	20



SFK5000 Suction Filter Kit

Clements Suction Filter Kits

Comprises of: Filter, Housing & O-ring

Part No	Description	QTY
SFK5000	Clements Suction Filter Kit	20

*NOTE: Above suction products are suitable for use with:
 COMWELD - 554006, 554007, 554013, 554010, 518535, 554067, 554068
 CLEMENTS - SUC891XX* Series, SUC892XX Series, SUC895XX Series, SUC896XX Series.*



PHG2048

PHG2046

Scavenge Attachments (with On/Off Tap)

Part No	Description
PHG2046	Scavenge Adaptor with Gauge & Tap
PHG2048	Scavenge Attachment no Gauge, with Tap



Twin-O-Vac
With 2 Oxygen Flowmeters Attached (Sold Separately)

Twin-O-Vac Multi-purpose Suction / Oxygen Device

The Twin-O-Vac is a low cost versatile unit that is ideal when extra or portable sources of oxygen or suction are required. Each Twin-O-Vac uses one oxygen outlet (ie. An oxygen pipeline wall point or cylinder regulator) to provide variable suction plus two separate sources of oxygen. All three outlets can be used simultaneously on up to three different patients if necessary. The Twin-O-Vac can be connected or linked to an assortment of equipment including resuscitators, flowmeters, infant warmers and humidifiers.

Part No	Description
TM117G	Twin-O-Vac Multi-purpose Device 0 to -100 kPa (High Vacuum)
518632	Twin-O-Vac Multi-purpose Device 0 to -25 kPa (Low Vacuum)

Spare Parts

Part No	Description
TVF9000	Disposable Filter (Packet of 20)
522501	Vacuum Gauge, 0 to -100kpa
515754	Service Kit
518578	Suction Control Knob for Twin-O-Vac

FOR A COST-EFFECTIVE DISPOSABLE JAR ALTERNATIVE REFER BELOW



518578



TVF9000



Assembled Unit



TV400-01



TV400-03



TV400-04



TV400-02



73287-50/Y

Disposable Twin-O-Vac Suction Jar

Save Time, Money and Resources with the new Disposable Twin-O-Vac Jar

- No more messy and time-consuming reprocessing.
- Reduce the risk of splash injuries.
- Reduce the risk of cross-infection.
- Now with NEW handy Jar lid to seal Jar contents after removal.

The new DISPOSABLE Twin-O-Vac Jar is the perfect solution for your suctioning needs.

Part No	Description
TV400-01	Suction Jar Only
TV400-02	Lid Only
TV400-03	Suction Jar and Lid Assembly
TV400-04	Jar, Lid, Filter (Complete)
73287-50/Y	SECUR-A-TAG Yellow Security Tie (Packet of 50)

JAR SPECIFICATIONS

Capacity: 400ml
Length: 180mm
Embossed marks every 100ml
Materials: PP





Zen-O™ Portable Oxygen Concentrator

- Dual FlowMode enables patient to alternative between continuous flow and pulse mode oxygen therapy
- Simple to use – Intuitive button operation
- LCD Display
- Rate Responsive Therapy – oxygen delivered on demand triggered by the patient’s inhalation
- Eco Mode – switch between Rate Responsive to Fixed Minute Volume for longer battery duration
- Auto Mode – activates after 60 seconds if no breath is detected and automatically deliver pulses at a rate of 18 breaths per minute
- Easily replaceable sieve modules
- Durable and reliable

Part No	Description
RS-00502-AUS-D	Zen-O™ concentrator - 2 battery package
RS-00501	Zen-O™ battery
RS-00509	Zen-O™ carry bag
RS-00507	Zen-O™ cart
RS-00508	Zen-O™ DC adaptor
RS-00511	POC filter wrench
RS-00512	POC cannula filter (packet of 10)
RS-00513	Sieve module assembly
RS-00520	Zen-O™ AC power supply
RS-00523	Accessories Bag

Each Zen-O™ device (Part No: RS-00502-AUS-D) is supplied with a carry bag, two batteries, AC/DC power cables and a pull cart.



Zen-O™ with bag and pull cart



Zen-O™ can hold up to two 12cell batteries



Accessories bag



Power cords, AC and DC power supply





Zen-O lite™ Portable Oxygen Concentrator

- Compact, portable and lightweight weighing just 2.5kg
- Simple to use – Intuitive button operation
- LCD Display
- Rate Responsive Therapy – oxygen delivered on demand triggered by the patient’s inhalation
- Eco Mode – switch between Rate Responsive to Fixed Minute
- Volume for longer battery duration
- Auto Mode – activates after 60 seconds if no breath is detected and automatically deliver pulses at a rate of 18 breaths per minute
- Easily replaceable sieve modules
- Durable and reliable



Zen-O™ lite carry bag


Part No	Description
RS-00608-AUS-D	Zen-O lite™ concentrator with two 8 cell batteries
RS-00601	Zen-O lite™ rechargeable battery
RS-00602	Zen-O lite™ AC power supply w/EU cord
RS-00605	Zen-O lite™ Dc power supply
RS-00606	Zen-O lite™ carry bag
RS-00616	Replacement sieve modules
RS-00617	Zen-O lite™ cannula wrench
RS-00619	Zen-O lite™ backpack
RS-00512	Zen-O lite™ cannula filter (packet of 10)
RS-00523	Accessories Bag

Each Zen-O lite™ device (Part No: RS-00608-AUS-D) is supplied with a carry bag, two batteries, AC/DC power cables.



Power cords, AC and DC power supply





Humidity Cannula™

The new and unique adult Humidity Cannula™ is an oxygen supply system which is capable of delivering humidified oxygen through the nares to Adult patients.

- Special Soft Prong design for elderly patients
- Available with optional Comfort Sleeves for tubing stability and comfort for patient
- Available with Luer Port and Cap to infuse the sterile water
- Unique absorbant foam water cartridge allows oxygen to be humidified to patient connection
- 15mmF / 6mm oxygen tubing connector included
- Latex and DEHP free

Part No	Description	QTY
PH-HNC-A-CS	Adult Humidity Cannula with Comfort Sleeve	10
PH-HNC-A	Adult Humidity Cannula <u>without</u> Comfort Sleeve	10



Humidity Cannula™ can easily be infused with a Sterile water ampoule.

Unique adult humidity cannula incorporates inbuilt humidity chamber to deliver humidified oxygen suitable for use with oxygen concentrator, blender or cylinder.













ResPlus BPAP Machine

Superior performance by design

- Patient Ventilator Synchrony: Synchronised patient trigger ensures breathing comfort
- Dynamic monitoring with real-time display of: Waveforms and breathing data that monitors therapy outcomes
- Intelligent Operation Interface: 3.5" Colour TFT Display Concise interface, rotary parameter selection dial, simple and easy to operate, HD colour display
- VAF Intelligent Tidal Volume Control: Ensure target tidal volume meets the needs of different patients
- Ultra quiet operating mode <30db ensures comfort during sleep
- Detachable humidifier: Provides variable humidity settings, removable chamber for ease of cleaning
- Automatic Leakage Compensation: Detects the difference in flow rate when the user turns over at night, automatic compensation of the leakage volume, safer and more effective

Part No	Description
PHB-30T	Bipap machine (CPAP, S/T, S, T)
PHB-30P	Bipap machine (CPAP, S/T, S, T, APCV)

				
Auto on/off	Synchrony Tech	Ramp	Heated humidifier	Data storage
				
Tidal Volume Control	Quiet design	Failure alarm	Airleak compensation	Quality assurance





Anaesthetic Cart

Designed for use in the anaesthesia department.

- Practical designed upper shelf consists of multi-bins
- Colours: Red or Blue
- Ergonomically designed push-handle and solid construction
- Pull-out sliding writing shelf makes efficient use of space
- Total locking key system
- Upgraded storage and mobility efficiency
- Each drawer contains ABS baskets with organising dividers
- 125mm Castors (with 2 x locking brakes)

Part No	Description
HL-AC0411-1	Anaesthetic Cart Size: 850(W) x 520(D) x (1010+600(H))mm

** NOTE: ALL OPTIONS MUST BE NOMINATED AT TIME OF INITIAL ORDER PLACEMENT*

Standard Accessories:



Sliding Side Shelf & Tray



Utility Container



Rubbish Bin

OPTIONAL SHELF TYPES*



Shelf System 1
2 x Multi-bin Containers
1 x Steel Shelf & Bins



Shelf System 2
1 x Steel Shelf & Bins
1 X Wire Basket & Bins



Shelf System 3
1 X Steel Shelf & Bins
1 x Steel Shelf



Emergency Cart

Designed to manage a first-aid patient in an emergency.

- Ergonomically designed push-handle and solid construction
- Pull-out sliding writing shelf makes efficient use of space
- Total locking key system
- Upgraded storage and mobility efficiency
- Each drawer contains ABS baskets with organising dividers
- 125mm Castors (2 with locking brake)

Part No	Description
HL-EC0411-1	Emergency Cart Size: 850(W) x 520(D) x 1010(H)mm

Optional Accessories:

Part No	Description
HL-DSF-AC	Defibrillator Shelf, 400 x 330 x 152mm
HL-IVP2-AC	IV Pole (2 hooks) for Emergency Cart
HL-OTH115-AC	Oxygen Bottle Holder, 115 x 80 500mm

NOTE: Monitor not supplied with Cart

* ALL OPTIONS MUST BE NOMINATED AT TIME OF INITIAL ORDER PLACEMENT

Standard Accessories:



CPR Board



Sliding Side Shelf & Tray



Utility Container



Rubbish Bin



Removable drawer totes allow for fast repositioning.



Drawers are easily positioned without the use of tools (Ball-bearing rails)



Clearing Trolleys

<i>Part No</i>	<i>Description</i>
CLEA.0147	Clearing Trolley 900 x 500 x 900mm 2 Shelf, Stainless Steel Construction
CLEA.0150	Clearing Trolley 900 x 500 x 900mm, 3 Shelf, Stainless Steel Construction

SmartStack Patient Care Stand

Features:

- Patented nesting design allows for extra storage space, better facility organization, and the simultaneous transportation of multiple stands
- Large, smooth-rolling castors with 2 wheel locks
- Includes 4 fixed ram-horn hooks
- Easy, one-handed height adjustment
- Collapsed height of 65" with an extended height of 88"
- 45kg maximum load capacity
- Provides extra support & stability

<i>Part No</i>	<i>Description</i>
R100P49-001	Single SmartStack Patient Care Stand
R100P49-008	SmartStack Patient Care Stand - Set of 8



Patented Nesting Design



Face Protective Shield - Anti Fog


- Protects facial area and associated mucous membranes (eyes, nose, mouth) from splashes and sprays of body fluids.
- Light Weight, Durable and Comfortable
- Suitable for use by healthcare workers, dental providers, veterinary care personnel, laboratory workers, pre-hospital emergency medical providers, police, firefighters, and custodial staff dealing with germs, spills and contaminated waste.

<i>Part No</i>	<i>Description</i>
FPS02-AF-P	Anti Fog Face Protective Shield





Baby and Kid's Portable Toilet



The container can be extended (400ml)

Happy-Pi Portable Toilet

Flexible and extendable body for easy storage

- Unisex
- Hygienic
- Comes with a colourful design
- Three character faces: Cat, Froggy and Ducky

Part No	Description
PM-MI171-Y	Portable Toilet - Yellow
PM-MI171-W	Portable Toilet - White



Ideal for sealing containers. Contains writable contents tag

SECUR-A-TAG Security Ties

- Tamper-Evident Design
- Assortment of Colours
- Easy to Use - Loop, Insert & Pull
- Write-on Identification Tag
- Secures up to 45mm diameter
- Hundreds of Uses

Part No	Description	QTY
73287-50/A	Assorted Security Ties	50
73287-50/B	Blue Security Ties	50
73287-50/G	Green Security Ties	50
73287-50/P	Pink Security Ties	50
73287-50/R	Red Security Ties	50
73287-50/Y	Yellow Security Ties	50

NOTE: Colours may vary slightly from pictured items



Red



Yellow



Green



Blue



Pink



SECUR-A-TAG
The essential travelling companion



Index

A			
Adaptors, 3-Way	19	Portable Toilet	28
Anaesthetic Cart	25	Protective Face Shield	27
B		Pulse Oximeters, Finger, Adult/Paediatric	9
Black Nipple & Wingnut for Air Flowmeters	18	R	
Blood Glucose Meter	8	Regulators	18–19
Blood Pressure Monitor	8	ResPlus BPAP Machine	24
BPAP Machine, ResPlus	24	Resuscitator, Manual, Disposable	16
C		S	
Clearing Trolleys	27	Scavenge Attachments	20
Comweld High and Low Flow Flowmeters	18	SECUR-A-TAG Security Ties	28
CPAP Masks	14	SmartStack Patient Care Stand	27
CPR Resuscitators	11	Softi Smoothflow® Diagnostic Cannula	12
E		Suction Attachments, Central Vacuum	19
Emergency Cart	26	Suction Connection Tubing	13
F		Suction Filter Kits, Clements	20
Face Protective Shield	27	Suction Filter Kits, Comweld	20
Finger Pulse Oximeters	9	Suction Filter, SF2000	20
Fixation Tape, Silicone	7	Suction Handpieces	13
Flowmeter Nipple & Wingnuts	18	Suction Jar, Twin-O-Vac, Disposable	21
Flowmeters	18	Suction/Oxygen Device, Twin-O-Vac Multi-purpose	21
Full Face CPAP Masks	14	T	
Furniture	25–27	Tape, Silicone, Fixation	7
H		Thermometers	5–6
Happy-Pi Portable Toilet	28	Trolley, Clearing	27
High Precision Flowmeter	17	Tubing, Oxygen, Flexible, Bubble	13
HME Trach Filters	15	Tubing, Oxygen, Non-Kink Star Lumen, Disposable	12
Humidity Cannula™	24	Tubing, Smooth-Bor, Adult, Disposable	16
M		Tubing, Smooth-Bor, Adult, Reusable	16
Mask, Aerosol Therapy, Elongated, Adult & Paediatric, with Tubing	15	Tubing, Suction Connection	13
Mask, Oxygen Therapy, Elongated, Adult, with Tubing	15	Twin-O-Vac Multi-purpose Suction/Oxygen Device	21
Mask, Tracheostomy	15	Twin-O-Vac Suction Jar	21
N		U	
Nasal Cannula, Humidity	24	UltraMaxO2 Oxygen Analyser	17
Nasal Cannula, Oxygen	11–12	V	
Nasal Cannula, Oxygen, Softi Smoothflow	11	VISIOFOCUS® Non-contact Thermometer	5
Nasal Cannula, Oxygen, Softi Smoothflow, Diagnostic	12	VISIOFOCUS® PRO Non-contact Thermometer	5
Nasal Face CPAP Masks	14	W	
Nebulizer, Portable	10	White Nipple & Wingnut for Oxygen Flowmeters	18
Nipple, Flowmeter	18	Y	
O		Yankauer Suction Handpiece	13
O-Series Regulators (Comweld)	18	Z	
Oxygen Analyser	17	Zen-O lite™ Portable Oxygen Concentrator	23
Oxygen Concentrator, Portable	22–23	Zen-O™ Portable Oxygen Concentrator	22
P			
Paediatric SpO2 Finger Pulse Oximeter	9		
PARKERmed Non-contact Infrared Thermometer	6		
PARKERmed Talking Blood Pressure Monitor	8		
Patient Care Stand	27		
Perflow High Precision Flowmeter	17		

Notes



TERMS AND CONDITIONS OF SALE

Parker Healthcare (ABN 43 006 420 364) hereafter known as "the Company".

1. All goods purchased in Australia, with the exception of Furniture and orders under \$200.00 are delivered Free Into Store (F.I.S.) (unless otherwise agreed in writing). All goods purchased outside Australia, are supplied at ex-factory prices (unless otherwise agreed in writing).
2. All products delivered to On-sellers and Distributors are supplied at ex-Factory Melbourne prices (unless otherwise agreed in writing).
3. All risks in the products not delivered F.I.S., shall pass to the "Purchaser" when the product leaves the "Company" store and from that point, regardless of how delivery is affected, any insurance shall be the purchaser's responsibility. Please state Insurance Open Policy number on confirmation order.
4. All orders must meet the "Company's" minimum order value of \$200.00. Any order under this limit will attract a "Minimum Order Fee" to the value of the difference between the order and \$200.00.
5. Written quotations are firm for 30 days (unless otherwise stated) from date of writing except for material changes in exchange rates or increases in duty on imported products.
6. Verbal prices quoted are subject to change without notice and are recommended prices only.
7. All orders must be confirmed in writing.
8. All claims for short delivery will only be recognized if made in writing 48 hours from date of delivery.
9. The "Company" takes no responsibility for incorrect freight methods when freight details are not clearly advised at time of ordering and marked on the confirmation order.
10. Payment is strictly net 30 days from date of invoice unless otherwise arranged. It is the option of the "Company" to charge an interest fee of 18.0% p.a. on all amounts outstanding after 30 days.
11. Title to the products shall not pass to the "Purchaser" until the full invoice price has been received by the "Company". The "Purchaser" shall hold the products solely as bailee, returnable on demand, pending passing of title.
12. A Goods Return Authorisation Number must be requested from the "Company" prior to any item being returned for any reason. This number MUST accompany all documentation and all items returned to the "Company" Stores. The "Company" reserves the right to refuse acceptance of returned items not bearing this authorisation number.
13. A 20% minimum restocking charge will apply to all goods returned due to an ordering error by the "Purchaser". Freight on returned goods will be the responsibility of the "Purchaser". Goods held for more than seven (7) days from date of sale will not be accepted for return.
14. Goods supplied as a special make or a one off requirement will not be accepted for return under any circumstances.
15. An official "company" approval number must be quoted when requesting payment for any repairs carried out by an approved Repairer.
16. Disposable products are sold in box quantities.
17. Should a standing order be cancelled or reduced in any significant way, the "Company" reserves the right to recover the costs of any 'no charge' items previously delivered as part of the existing standing order arrangement.
18. Where a customer changes the requested delivery date of an order, payment for the goods is required to be made in accordance with the approved credit terms of the customer, using the original dispatch date as invoice date. Furthermore, if the goods are required to be stored for an extended period, the "Company" reserves the right to charge a holding fee .

Parker Healthcare Pty Ltd
Head Office & International Department:
16 Redland Drive, Mitcham, VIC., 3132 Australia
Phone: +61 (0)3 9872 0222 Facsimile: +61 (0)3 9873 5911
E-mail: sales@parkerhealth.com.au
Represented in all Australian states



AUSTRALIAN OWNED & OPERATED



Sales and Service Australia / Malaysia / New Zealand

Some products and services may not be available to Malaysian and New Zealand customers due to distribution agreements.

All content subject to change without prior notification.

Parker Healthcare Pty Ltd

16 Redland Drive,
Mitcham, VIC., 3132 Australia
Phone: +61 3 9872 0222
Facsimile: +61 3 9873 5911
E-mail: sales@parkerhealth.com.au
www.parkerhealth.com.au

Parker Healthcare Sdn Bhd

No. 22 Jalan Udang Harimau 2, Medan Niaga,
Kepong 51200 Kuala Lumpur Malaysia
Phone: +60 3 6263 2848
Facsimile : +60 3 6262 9848
E-mail: sales@parkerhealth.com.my
www.parkerhealth.com.my

Parker Healthcare NZ Ltd

PO Box 101042, NSMC, North Shore City 0745
Auckland NZ
Phone: +64 9 415 8524
Facsimile: +64 9 415 9672
E-mail: sales@parkerhealth.co.nz
www.parkerhealth.co.nz