



Dental

PRODUCT CATALOGUE 2024



AUSTRALIAN OWNED & OPERATED

Ideas Today for Tomorrow's Healthcare Products



Australian Head Office & Service Centre



Malaysian and International Head Office



Australian Distribution Centre



Company Profile

Founded in 1985, Parker Healthcare Pty Ltd is an Australian owned and operated medical supply company, with offices located in all main states of Australia and international offices in both New Zealand and Malaysia.

As a Quality Assured ISO 9001:2015 accredited company, Parker Healthcare supplies a diverse range of products that covers the neonatal through to adult divisions of the hospital. These segments include, but are not limited to; Anaesthesia and Respiratory Care, Infant and Paediatric Care, Maternity, Emergency and ICU.

Parker Healthcare have specialised divisions covering Hospital, Pharmacy, Aged Care, Veterinary and Home Healthcare, enabling the purchase and supply of products specific to these industries.

Parker Healthcare is committed to working towards continual improvement in the quality of care given to all patients. Through understanding our customers' needs and expectations this enables us to develop consumables and equipment to address the changing needs of both Australian and International healthcare.

Core Capabilities

- Own manufacturing facility in Malaysia (approx. 32,000 sq ft)
- Outstanding customer service
- Wide range of products
- Stringent quality control checks
- Highly experienced and trained workforce with over 35 years of industry experience
- Service Department for fast and local service & maintenance of goods
- ISO 9001:2015 Accredited

Mr. Ian Bird
Managing Director



Hospital



Aged Care



Pharmacy



Home Health



Veterinary



Dental




www.parkerhealth.com.au

Contents



Nitrous Systems
Page 5




Catheter Mounts & Connectors
Pages 6-7



Filtration
Page 8-9



Resuscitation & Breathing Circuits
Pages 10-12



Corrugated Tubing
Page 12



Face Masks
Pages 13-14



Laryngoscopes
Pages 15-20




Laryngeal Masks
Page 21



Forceps, Ophthalmoscopes, Otoroscopes
Pages 22-23



Silicone Fixation Tape
Page 24



Nasal Cannulas & Oxygen Tubing
Pages 25-26




Suction Tubing & Yankauer Suckers
Page 27



Suction Devices, Flowmeters & Regulators
Pages 28-30



Oxygen Therapy & Aerosol Therapy Masks
Pages 31-32



Manual Resuscitators
Page 33



Guedel Airways
Page 34



Thermometers
Pages 35-38



Finger Pulse Oximeters
Page 39




Furniture
Pages 40-41



Face Shields & Security Ties
Page 42

PORTER NITROUS SYSTEMS

The Trusted Name In Nitrous



Suitable for use in
Emergency Departments
& Dental Practices



MXR Continuous Flow Nitrous Oxide & Oxygen Systems

Gas-saving flowmeters, setting the standard for accuracy, performance and safety in hospitals and dental practices for the critical administration and regulation of nitrous oxide & oxygen.


Why MXR?

- Simple to use
- Precision, safety & patient comfort
- Multiple system configurations & accessories available
- No power required
- Manufactured in the USA

Features:

- Porter Flowmeter Tubes provide accurate, visual flow readings
- Dual Seal Fail-Safe automatically reduces and eliminates N₂O if O₂ is shut off or the pressure is reduced
- Gas Control Block virtually eliminates internal gas leaks. One-piece solid aluminium construction
- Gas Flow Adjustment Knobs allow quick, accurate, one-hand adjustment of gas flows
- Emergency Air Intake Valve automatically provides patient with ambient air if gas flow is interrupted
- Check Valve prevents rebreathing of used gases and guards against CO₂ build-up in the breathing bag
- Positive ON-OFF Switch on all models, eliminating the possibility of accidentally leaving the machine on
- Oxygen Flush Button provides an easily accessible override of all other gas flows and delivers 100%O₂
- Oxygen Quick Connect facilitates connection of resuscitation equipment to the central system
- Total Flow Adjustment Knob controls flow of both N₂O and O₂ at any desired concentration. Total flow can be adjusted without affecting concentration. Low flow capability means economy of operation.









Part No	Description
PHC3000A	Porter MXR Flowmeter & Bag-T
PHC3400A	Porter MXR with in-line vacuum control package
<i>Accessories:</i>	
PH-SIL-CONN-KIT	Flowmeter Connection Kit (order one for each flowmeter) Includes: Cannula Adapter, Breathing Bag Cap, 6.5 Fresh Gas / Vacuum Tubing, 4 Colour Coded Sizer Masks, and Clip
PH-SIL-VAR-4X3	Variety 12 Pack: 3 Silhouette Masks of each size – Paediatric, Adult Small, Medium, Large
PH-5053 AD12C	Disposable Nasal Hood Liners, Adult, Citrus (Pack 12)
PH-5053 PD12C	Disposable Nasal Hood Liners, Paediatric, Citrus (Pack 12)



*Available with face mask



Disposable Catheter Mounts - Single packed Latex Free


	Part No	Description	UOM	Qty
 <p>22mm F 15mm F Swivel</p>	6000-25(D)	Disposable Catheter Mount, Straight Swivel 15mm F, Adaptor 22mm F & 6" 15mm ID Expandable Tubing	Each	50
 <p>22mm F 15mm F Swivel 15mm F Swivel</p>	6000-25(D)/E	Disposable Catheter Mount, Straight Swivel 15mm F, Adaptor 22mm F with 15mm F Swivel Elbow	Each	50
 <p>22mm F 15mm F Swivel</p>	6000-26(D)	Disposable Catheter Mount, Swivel Elbow 15mm F, Adaptor 22mm F & 6" 15mm ID Expandable Tubing	Each	50
 <p>15mm M 15mm F Swivel</p>	6000-28(D)	Disposable Catheter Mount, Swivel Elbow 15mm F, Adaptor 15mm M & 6" 15mm ID Expandable Tubing	Each	50
 <p>15mm M 15mm F Swivel</p>	6000-29(D)	Disposable Catheter Mount, Straight Swivel 15mm F, Adaptor 15mm M & 6" 15mm ID Expandable Tubing	Each	50
 <p>22mm F 22mm M /15mm F</p>	6000-30(D) 6000-30(D)/S	Disposable Catheter Mount, Straight Adaptors 22mm M/15mm F & 22mm F & 6" 15mm ID Expandable Tubing Same version as above, Sterile (EtO)	Each	50 50
 <p>15mm M 22mm M /15mm F</p>	6000-31(D) 6000-31(D)/S	Disposable Catheter Mount, Straight Adaptors 22mm M/15mm F & 15mm M & 6" 15mm ID Expandable Tubing Same version as above, Sterile (EtO)	Each	50 50
 <p>22mm F 22mm M /15mm F</p>	6000-33(D)	Disposable Catheter Mount, Elbow 22mm M/15mm F & Adaptor 22mm F & 6" 15mm ID Expandable Tubing	Each	50

Disposable Catheter Mounts - Single packed Latex Free


Part No	Description	UOM	Qty
---------	-------------	-----	-----




6000-34(D)	Disposable Catheter Mount, Elbow 22mm M/15mm F & Adaptor 15mm M & 6" 15mm ID Expandable Tubing	Each	50
6000-34(D)/S	Same version as above, Sterile (EtO)	Each	50



6000-38(D)	Disposable Catheter Mount, Straight Adaptors 15mm M, 22mm M/15mm F with Elbow & 6" 15mm ID Expandable Tubing	Each	50
6000-38(D)/S	Same version as above, Sterile (EtO)	Each	50



6000-40(D)	Disposable Catheter Mount, Double Swivel Elbow with Suction Port, Adaptor 15mm M & 6" 15mm ID Expandable Tubing	Each	50
-------------------	---	------	----



6000-41(D)	Disposable Catheter Mount, Double Swivel Elbow with Suction Port, Adaptor 22mm F & 6" 15mm ID Expandable Tubing	Each	50
-------------------	---	------	----




Part Number: **APM51046**
 Description: Mask Elbow 15mm M to 22mm M / 15mm F
 UOM: Each
 Box Qty: 50



Part Number: **MPE161622**
 Description: Elbow Connector 22mm F to 22mm M / 15mm F
 UOM: Each
 Box Qty: 50



Part Number: **MP58003**
 Description: Multi-size Tubing Joiner Accepts 5mm to 8mm ID Tubing
 UOM: Each
 Box Qty: 50



Part Number: **PH30038**
 Description: Swivel Oxygen Connector Accepts 3mm to 7mm ID Tubing
 UOM: Each
 Box Qty: 50



Parker HumiFlex™

TETHERED CAP

NEW

Parker HumiFlex™
HMEF with Mask Elbow
PH-FE1000

TETHERED CAP

Parker HumiFlex™
HMEF with Mask Elbow and Expandable Catheter Mount with **UNIVERSAL CONNECTOR**
PH-FECM2000

Catheter mount packaged in internal inner bag. If not required it can be safely stored for future use.

Filter Specifications

Filtrate media	Electrostatic
HME Media	Paper
Housing Material	Polypropylene
Weight (g)	25g
Dead space ml	35 ml
Indication	Adult 24 hr
Pressure Drop @ 30LPM	100pa
Resistance @ 30LPM	100pa
BFE	99.999%
VFE	99.999%
ISO connector circuit side	22mm F / 15 M
ISO connector patient side	15mm F / 22mm M
Moisture Output	32mg @ 500VT
Humidity Output	32mg H2O/L
Tidal Volume Range	150~1500ml
Non-sterile	
CO ₂ Port with Tethered Cap	

Accessory Specifications

Elbow	22mm M / 15mm F
Catheter mount	Expandable corrugated catheter mount 22mmF - 22mmM/ 15mm F UNIVERSAL CONNECTOR (22M/15F)

Product Features

- Catheter mount with **UNIVERSAL CONNECTOR (22M/15F)** fits ET tube or mask (**PH-FECM2000**)
- CO₂ port with the safety of a tethered cap
- Low breathing resistance
- Latex & DEHP Free
- Box Quantity of 50

Part Number: PH-FE1000

Disposable Adult Heat & Moisture Exchange Filter, Straight with Tethered Cap Luer Port, 22M/15F and Mask Elbow
UOM: EACH / BOX Quantity: 50

Part Number: PH-FECM2000


Disposable Adult Heat & Moisture Exchange Filter Straight with Tethered Cap Luer Port, 22F - 22M/15F and Mask Elbow and Expandable Catheter Mount (22F - 22M/15F) with **UNIVERSAL CONNECTOR (22M/15F)** Fits ET Tube or mask
UOM: EACH / BOX Quantity: 50



0197



Heat and Moisture Exchange Filters (HMEF Series)



Description	HMEF Straight	HMEF Midi Straight	HMEF Angled	HMEF Midi Angled
Part Number	PH50497100	PH50400216	PH50400218	PH50400217
Connector	22F / 15M-22M / 15F	22F / 15M-22M / 15F	22F / 15M-22M / 15F	15M-22M / 15F
Dead Space	35ml	22ml	44ml	25ml
Tidal Volume Range	150~1000ml	60~500ml	150~1000ml	60~500ml
Pressure Drop	0.35KPa@30L/Min	0.35KPa@30L/min	0.35KPa@30L/min	0.35KPa@30L/min
Moisture output	≥34.5mg/L @ VT=1000ml	≥32mg/L @ VT=500ml	≥34.5mg/L @ VT=1000ml	≥32mg/L @ VT=500ml
Bacterial filtration efficiency	>99.9999%	>99.9999%	>99.9999%	>99.9999%
Viral filtration efficiency	>99.997%	>99.997%	>99.997%	>99.997%
Weight	30g	20g	30g	20g
Box quantity	50	50	50	50

Respiratory Filters : High performance bacterial / viral respiratory filter




Description	BSF 201	BSF 202
Part Number	PH50421500	PH50421700
Bacterial filtration efficiency	99.99994%	99.99994%
Viral filtration efficiency	99.997%	99.997%
Gas sampling port	Yes	No
Pressure Drop	1.5cmH ₂ O @30L/min	1.5cmH ₂ O @30L/min
Sterile	No	No
Weight	33g	32g
Box quantity	50	50

Respiratory Filters : Low resistance bacterial / viral respiratory filter



Description	BSF 103	BSF 104
Part Number	PH51008900	PH51009000
Compressible volume	65ml	65ml
Weight	27g	27g
Bacterial filtration efficiency	99.99%	99.9999%
Viral filtration efficiency	99.99%	99.99%
Pressure Drop	1cmH ₂ O @30L/min	1cmH ₂ O @30L/min
Casing Material	K-resin	K-resin
Box quantity	50	50






Adult **Smooth-Bor** Disposable 3 Limb Breathing Circuits


Part No	Description	QTY
A3S72-101	Disposable Adult 3 Limb SMOOTH-BOR Circuit, Fixed Y, with Cap, 2L Bag, 1.8m	Each
A3S120-101	Disposable Adult 3 Limb SMOOTH-BOR Circuit, Fixed Y, with Cap, 2L Bag, 3.0m	Each

Also Available with Swivel 'Y' Connector



Paediatric **Expandable** Disposable 3 Limb Breathing Circuits


Part No	Description	QTY
P3E72-102	Disposable Paediatric 3 Limb EXPANDABLE Circuit, Fixed Y, Elbow with Port, 1L Bag, 1.8m	50
P3E120-102	Disposable Paediatric 3 Limb EXPANDABLE Circuit, Fixed Y, Elbow with Port, 1L Bag, 3.0m	50



Paediatric **Corrugated** Disposable 3 Limb Breathing Circuits


Part No	Description	QTY
P3C72-102	Disposable Paediatric 3 Limb CORRUGATED Circuit, Fixed Y, Elbow with Port, 1L Bag, 1.8m	25
P3C72-108	Disposable Paediatric 3 Limb CORRUGATED Circuit, Fixed Y, Mask Elbow, 1L Bag, 1.8m	25
P3C120-102	Disposable Paediatric 3 Limb CORRUGATED Circuit, Fixed Y, Elbow with Port, 1L Bag, 3.0m	20
P3C200-100	Disposable Paediatric 3 Limb CORRUGATED Circuit, Fixed Y, 1L Bag, 5.0m	15






Adult Coaxial Disposable Circuits with Bagging Limb

Part No	Description	QTY
PH70125-2.4-B2L	Disposable Adult Co-Axial Breathing Circuit, 2.4m, Elbow with Port, 2L Bag and 2.4m length Bagging Limb	20
PH70125-3B2L	Disposable Adult Co-Axial Breathing Circuit, 3.0 metres, Elbow with Port, 2L Bag and 3m length Bagging Limb	10



PH70122-1.8N	Disposable Adult Co-Axial Breathing Circuit with Internal CO₂ sampling line , 1.8m, Elbow with Port, 2L Bag and 1.8m length Bagging Limb	10
--------------	--	----

Cross-section of QTube™ Breathing Circuit Tube




QTube™ Breathing Circuits

The QTube™ Breathing Circuit primarily consists of a corrugated tube with an internally moulded panel effectively separating the inner tubing into two halves.

Specially moulded connectors complete the circuit allowing totally separate inspiratory and expiratory paths through the same tube. The purpose of this configuration is to reduce the weight and physical bulk associated with using two (2) separate tubes (inspiratory AND expiratory) in lieu of a single item.

Features:


- Strong yet portable, the risks of tube collapse, distortion and kinking are greatly diminished. Compact in size to free up work space for medical professionals.
- Reduced weight of up to 28% and 34% respectively compared to traditional 2 limbs and coaxial circuits, abbreviating users of unwanted drag and discomfort.
- Conforms to low and ultra low flow applications suitable from adults to paediatric users.
- Multipurpose circuit for complete patient categories reduces buffer stock in hospitals, materials, medical waste and is environment friendly.
- QTube™ bi-lumen septum design increases crush strength and pull force.
- An ideal compliance allows more targeted volume inspired each breath with minimal wastage.



Part No	Description	QTY
PH-DLC2400	Adult/Paediatric Breathing Circuit 2.4m Length with Blue Bagging Limb and 2L Rebreathing Bag	30
PH-DLC3000	Adult/Paediatric Breathing Circuit 3.0m Length with Blue Bagging Limb and 2L Rebreathing Bag	20



LATEX FREE



View of Internal Bag Cage

Disposable Rebreathing Bags - LATEX FREE

Part No	Description	QTY
54935	0.5 Litre Capacity, Ferrule Neck (22mm F) Bag Cage Length "L" = 60mm	10
54936	1.0 Litre Capacity, Ferrule Neck (22mm F) Bag Cage Length "L" = 60mm	10
54937	2.0 Litre Capacity, Ferrule Neck (22mm F) Bag Cage Length "L" = 60mm	10
54938	3.0 Litre Capacity, Ferrule Neck (22mm F) Bag Cage Length "L" = 60mm	10

LATEX FREE




Reusable Rebreathing Bags - LATEX FREE

Part No	Description	QTY
APM50258	0.5 Litre Capacity, Ferrule Neck (22mm F) with tail and loop	5
APM50259	1.0 Litre Capacity, Ferrule Neck (22mm F) with tail and loop	5
APM50260	2.0 Litre Capacity, Ferrule Neck (22mm F) with tail and loop	5
APM50261	3.0 Litre Capacity, Ferrule Neck (22mm F) with tail and loop	5

Corrugated Disposable Plastic Tubing - 30m Rolls

NOTE: Cuff Every 300mm (12")



Part No	Colour	ID Size	Length
MP-CO10B30M-12	Blue	10mm ID	30m Roll
MP-CO10N30M-12	Natural	10mm ID	30m Roll
MP-CO10P30M-12	Pink	10mm ID	30m Roll
MP-CO15B30M-12	Blue	15mm ID	30m Roll
MP-CO15N30M-12	Natural	15mm ID	30m Roll
MP-CO15P30M-12	Pink	15mm ID	30m Roll
MP-CO22B30M-12	Blue	22mm ID	30m Roll
MP-CO22N30M-12	Natural	22mm ID	30m Roll
MP-CO22P30M-12	Pink	22mm ID	30m Roll





Disposable Air Cushion Masks with Non-Metal Valve (MRI Compatible)

Part Number	Size	Colour	UOM	QTY
PH20160	Size 0, Neonate, 15mm OD	White	Box	30
PH20161	Size 1, Infant, 15mm OD	Pink	Box	30
PH20162	Size 2, Paediatric, 22mm ID	Yellow	Box	30
PH20163	Size 3, Paediatric, 22mm ID	Green	Box	30
PH20164	Size 4, Small Adult, 22mm ID	Red	Box	30
PH20165	Size 5, Large Adult, 22mm ID	Blue	Box	30
PH20166	Size 6, X-Large Adult, 22mm ID	Orange	Box	30

Can be used during MRI procedures.



Strawberry Scented Disposable Air Cushion Masks

Part Number	Size	Colour	UOM	QTY
PH9001-ST	Size 1, Infant 15mm OD	Clear	Box	50
PH9002-ST	Size 2, Paediatric, 15mm OD	Yellow	Box	50
PH9003-ST	Size 3, Paediatric, 22mm ID	Pink	Box	50
PH9004-ST	Size 4, Small Adult, 22mm ID	Blue	Box	50





Reusable Neonatal / Infant Silicone Donut Masks

<i>Part No</i>	<i>Size</i>	<i>UOM</i>
PH-614004	Size 000, Small Infant, 15mm OD	Each
PH-614003	Size 00, Large Infant, 15mm OD	Each
PH10110	Size 0, Small Infant, 15mm OD	Each
PH10111	Size 1, Large Infant, 15mm OD	Each
PH10112	Size 2, Small Paediatric, 22mm ID	Each

Reusable and Autoclavable up to 134°C



Reusable Silicone Masks

<i>Part No</i>	<i>Size</i>	<i>UOM</i>
PH10113	Size 3, Paediatric, 22mm ID	Each
PH10114	Size 4, Small Adult, 22mm ID	Each
PH10115	Size 5, Large Adult, 22mm ID	Each

Reusable and Autoclavable up to 134°C



Silicone Cushion Masks

<i>Part No</i>	<i>Size</i>	<i>UOM</i>
PH10133	Size 3, Paediatric, 22mm ID	Each
PH10134	Size 4, Small Adult, 22mm ID	Each
PH10135	Size 5, Large Adult, 22mm ID	Each

Autoclavable up to 110°C



DUOSCOPE™

THE NEW DUAL BLADE DISPOSABLE EMERGENCY LARYNGOSCOPE

Available in both Adult/Paediatric or Adult/Adult dual blade configurations, the DUOSCOPE™'s simplistic functional design facilitates immediate accessibility and instantaneous response in emergency situations. Produced in high quality plastic and equipped with dual illumination lamps (allowing over 24 hours continuous illumination), the disposable DUOSCOPE™ is a cost effective premium intubation for the emergency cart or kit.


- Compact**
- Easy to Use**
- 2 Blades in 1**
- Light Weight**
- Illumination Tester**
- Batteries Easily Removed**
- Long-Life Illumination**
(Over 24 hours continuous illumination)
- No Assembly - Quick Action**

Part No	Size	QTY
RB2000	DUOSCOPE (MIL#1 + MAC#3) Miller Size 1 + MacIntosh Size 3 (Child)	5
RB3000	DUOSCOPE (MIL#1 + MAC#4) Miller Size 1 + MacIntosh Size 4 (Adult)	5
RB4000	DUOSCOPE (MAC#3 + MAC#4) MacIntosh Size 3 + MacIntosh Size 4 (Large Adult)	5

MULTIPLE APPLICATIONS:



Trauma Rescue



Ambulance



Medical Air Service



Emergency Carts



Military



RB2000

RB3000

RB4000

NOTE: Military Model available in "Desert Storm" Colour





Handle can be used as a storage area for gloves etc...

- ✓ **Compact**
- ✓ **Easy to Use**
- ✓ **Light Tester**
- ✓ **Light Weight**
- ✓ **Glove Storage Area**
- ✓ **Battery is Easy to Remove**
- ✓ **Long-life Illumination**
(Over 24 hours continuous illumination)
- ✓ **No Assembly Required**


ONESCOPE™

THE NEW LOW-COST DISPOSABLE EMERGENCY LARYNGOSCOPE


Available in three popular blade configurations, the ONESCOPE™'s simplistic functional design facilitates immediate accessibility and instantaneous response in emergency situations. Produced in high quality plastic and equipped with a long-life illumination lamp (allowing over 24 hours continuous illumination), the disposable ONESCOPE™ is a cost effective premium intubation device for the emergency cart or kit.

Part No	Size	QTY
GB1000	Miller Size 1, Child	5
GB3000	MacIntosh Size 3, Adult	5
GB4000	MacIntosh Size 4, Large Adult	5

MULTIPLE APPLICATIONS:



Trauma Rescue



Ambulance



Medical Air Service



Emergency Carts



Military



GB1000

GB4000

GB3000



Features:

- A high impact resistant plastic block coupled with a metal spatula provides great strength to the whole blade making it the strongest disposable blade available in the market. The strength is comparable to the all metal reusable blades and is useful in all kind of intubating procedures.
- Compatible to ISO 7376 Green standard.
- The plastic heel is clearly marked with the blade size relevant to each blade.
- The blades are made up of lightweight stainless steel.

- Two ball bearings are used for locking purpose. Not only do these provide secure fitting to compatible handles but also allow repeated application for the same patient or for testing.
- To prevent cross infection, the blades are clearly marked with the “single patient use” mark on the plastic heel.
- The blades are available in 5 MacIntosh, 7 Miller, 2 Kessell, 2 Robertshaw, 1 Seward and 2 Flexitip Mac Sizes.



Parker MACINTOSH Disposable Fibreoptic / LED Blades

Part No	Size	QTY
DLB/MAC/4	Size 4, Large Adult	10
DLB/MAC/3	Size 3, Adult	10
DLB/MAC/2	Size 2, Paediatric	10
DLB/MAC/1	Size 1, Infant	10
DLB/MAC/0	Size 0, Neonate	10

Parker MACINTOSH Reusable Blades

Part No	Size	Style	QTY
WB02	Size 0, Neonatal	Standard	Each
WB04	Size 1, Infant	Standard	Each
WB06	Size 2, Paediatric	Standard	Each
WB08	Size 3, Adult	Standard	Each
WB10	Size 4, Large Adult	Standard	Each
WB05	Size 5, X-Large Adult	Standard	Each
LHWB08	Size 3, Left-hand Blade	Standard	Each
HPWB08	Size 3, Hinge Pin Fitting	Standard	Each
WB39	Size 3, Polio	Standard	Each
M702	Size 0, Neonatal	Fibreoptic	Each
M704	Size 1, Infant	Fibreoptic	Each
M706	Size 2, Paediatric	Fibreoptic	Each
M708	Size 3, Adult	Fibreoptic	Each
M710	Size 4, Large Adult	Fibreoptic	Each
M705	Size 5, X-Large Adult	Fibreoptic	Each
LHM708	Size 3, Left-hand Blade	Fibreoptic	Each
SM708	Size 3, “Shiney” Blade	Fibreoptic	Each



Standard / Conventional Blade



Fibreoptic
(Removeable Light Guide Blade)



Fibreoptic
(Enclsod Light Guide Blade)

Parker Fibre-Seal (German Style) (enclosed fibreoptic light guide)

M755	Size 0, Neonatal, Fibre-Seal	Fibreoptic	Each
M756	Size 1, Infant, Fibre-Seal	Fibreoptic	Each
M757	Size 2, Paediatric, Fibre-Seal	Fibreoptic	Each
M758	Size 3, Adult, Fibre-Seal	Fibreoptic	Each
M759	Size 4, Large Adult, Fibre-Seal	Fibreoptic	Each





PH-VL6000

The Parker video laryngoscope with HDMI function features a 2 megapixel camera offering high quality video and still images, while being easy to use and ergonomically designed to avoid injury during intubation of patients.

Features:

- Unique Anti-Fog Capability (no need to wait for preheating)
- Lightweight with main unit less than 350 g
- Uses both reusable and disposable blades
- High capacity lithium battery
- Full view 3.5" screen designed to resist repeating wiping and wear and tear.

Part No	Description
PH-VL6000	Parker Video Laryngoscope with HDMI function
PH-VL61001	Disposable Blade Mac 1
PH-VL62002	Disposable Blade Mac 2
PH-VL63003	Disposable Blade Mac 3
PH-VL64004	Disposable Blade Mac 4
PH-VL65005	Disposable Blade Mac 5 for difficult intubation



Shown with reusable blade



Large Screen

- 3.5 Inch full view
- Rotatable screen
- Frame rate 30 FPS
- Anti glare display
- LED screen in full colour



Snap button

- Take photos and video recording
- In tegrated 4GB memory card
- Ergonomic handle design
- Anti-microbial handle



High Resolution CMOS Camera

- Anti-fog design with 6 LED lights
- CMOS camera chip
- 2.0 M Pixel
- R esolution ratio: 640 x 480RGB LCD screen
- 800 LUX LED illumination



Portable Design

- Recharge your video laryngoscope or upload your files
- Up to 150 minutes of working time
- USB & HDMI port available

Technical Specifications

Parts	Parameter
Display	3.5" colour RGB 4:3 aspect ration screen at 30 frames per sec
Camera / Field of View	2.0 MegaPixels, 66°
Illumination	≥800 Lux
Battery	3.7V 3200mAh Rechargeable Lithium Battery
Battery Charge and Lifetime Cycles	Charge time less than 8 hours, approximately 300 charging cycles
Charging Connector	Micro USB (5V at 1000mA)
Storage Environmental Conditions	-10C to 45C, 93% humidity, 500hPa to 1060hPa
Operating Environmental	5C to 40C, 30% to 85% humidity, 700hPa to 1060hPa





Video Laryngoscope

PH-VLDM

Video Laryngoscope Monitor Set Incl; monitor, cable, reusable handle, 3pcs disposable blades.

When time is critical, make your go-to device the Parker VLDM.

Ideal for demanding OR, ED, and ICU setting, the VLDM provides a consistently clear view of the airway, and enhanced manoeuvrability enabling fast intubations. The VLDM system gives you a choice of 5 disposable blades to cover a wider range of patients, from infant to obese.

Add real-time recording and an onboard tutorial, and you'll see why the Parker VLDM is the one you go to for advanced video laryngoscopy.

VLDM = Advanced Airway Views

Features:

- Digital colour monitor with LCD quality resolution
- Reusable video laryngoscope with digital-resolution camera & disposable blades
- Innovative blade sizing, angulation, and camera positioning
- Reveal™ anti-fog feature, with a rapid heating profile to resist lens clouding and secretions

VLDM = Advanced User Features

- Integrated, real-time recording helps confirm tube placement and facilitate teaching
- Ergonomic design and rugged construction for multiple clinical applications
- Available in 5 disposable blade sizes, MAC 1, 2, 3, 4, 5



Applications

- First-use intubations, replacing direct laryngoscopy
- Normal or restricted oropharyngeal views
- Cormack-Lehane Graes I-IV laryngeal views
- Trauma airways - excellent when dealing with a blood and secretions in the airway
- Video-guided tube exchange in the ICU

System Components

- Digital, LCD quality colour monitor
- Reusable video laryngoscope with digital camera
- Disposable VLDM blade in a choice of 5 sizes
- Choice of mobile stand or IV pole mount



PH-VL/Trolley
5 Leg Mobile Stand Trolley with Basket Only



Parker LED Laryngoscope Handles - Reusable



- Maximized use of batteries due to low power consumption.
- Simple construction makes it lighter in weight to all other handles in the market
- Simple conversion to a charging handle by means of the open charging cover
- Median life span of 50,000 hours
- 60,000 LUX bright-white light output
- Autoclavable

PART NUMBER	SIZE	LENGTH (mm)	DIA. (mm)	REPLACEMENT BATTERIES	RECHARGEABLE BATTERIES	VOLTAGE	REPLACEMENT LAMP	QTY
B704/LED	Medium	150	30	2 x C	808-059-25	2.5V	B968	Each
B706/LED	Small	150	20	2 x AA	808-055-25	2.5V	B968	Each
B608/LED	Stubby	110	30	2 x AAA	808-055-25	2.5V	B968	Each
B704/LEDR3.5	Medium	151	29	**	808-065-35	3.5V	B935V	Each
B706/LEDR3.5	Small	151	19	**	808-063-35	3.5V	B935V	Each

Batteries Not Supplied

** B704/LEDR3.5 and B706/LEDR3.5 can only be used with 3.5V RECHARGEABLE BATTERIES

Parker Standard / Conventional & LED Laryngoscope Handles - Disposable (SUPPLIED WITH BATTERIES)

Standard/Conventional Medium

LED Medium

LED Small



- Perfect solution for highly infectious patients
- Single Patient Use, prevent cross infection
- Lightweight, suitable for every day hospital use
- Batteries Included - Ready to Use
- Single Clean Packed

DISPOSABLE
SINGLE PATIENT USE

PART NUMBER	SIZE	LENGTH (mm)	DIA. (mm)	REPLACEMENT BATTERIES	VOLTAGE	WITH BATTERIES	QTY
DISP/B904/WB	Medium	137	34	N/A	2.5V	YES	Box10
DISP/B704LED/WB	Medium	143	34	N/A	2.5V	YES	Box10
DISP/B706LED/WB	Small	131	24	N/A	2.5V	YES	Box10



- Clear Tubing
- Epiglottis bars
- 15mm connector
- Printed pilot balloon
- Latex Free

Disposable Silicone Laryngeal Masks

Part No.	Size	Applicable Weight	QTY
PM4501	1.0	< 5kg	Pkt/5
PM4501.5	1.5	5-10kg	Pkt/5
PM4502	2.0	10-20kg	Pkt/5
PM4502.5	2.5	20-30kg	Pkt/5
PM4503	3.0	30-50kg	Pkt/5
PM4504	4.0	50-70kg	Pkt/5
PM4505	5.0	70-100kg	Pkt/5
PM4506	6.0	> 100kg	Pkt/5



Disposable Reinforced Silicone Laryngeal Masks

Part No.	Size	Applicable Weight	QTY
PM4501-R	1.0	< 5kg	Pkt/5
PM4501.5-R	1.5	5-10kg	Pkt/5
PM4502-R	2.0	10-20kg	Pkt/5
PM4502.5-R	2.5	20-30kg	Pkt/5
PM4503-R	3.0	30-50kg	Pkt/5
PM4504-R	4.0	50-70kg	Pkt/5
PM4505-R	5.0	70-100kg	Pkt/5
PM4506-R	6.0	> 100kg	Pkt/5

 1 Neonates / Infants <5kg Tubing: <4ml	 3 Large Child / Small Adult 30-50kg Tubing: <20ml
 1½ Infants 5-10kg Tubing: <7ml	 4 Adults 50-70kg Tubing: <30ml
 2 Infants / Children 10-20kg Tubing: <10ml	 5 Large Adult 70-100kg Tubing: <40ml
 2½ Children 20-30kg Tubing: <14ml	 6 Extra Large Adult >100kg Tubing: <60ml





Parker Oto/Ophthalmoscope Set – CLASSIC

<i>Part No</i>	<i>Description</i>
808-610-25	Parker VISIO 2000 Classic Fibreoptic Xenon/Halogen Oto/Ophthalmoscope Set, 2.5V, Stain, Brass C/P, 1 Handle
808-650-25	Parker VISIO 2000 Classic LED Oto/Ophthalmoscope Set, 2.5V, Stain, Brass C/P, 1 Handle



Parker Oto/Ophthalmoscope Set – PREMIER

<i>Part No</i>	<i>Description</i>
808-615-25	Parker VISIO 2000 Fibreoptic Xenon/Halogen Oto/Ophthalmoscope Set, 2.5V, Stain, Brass C/P, 2 Handles
808-655-25	Parker VISIO 2000 LED Oto/Ophthalmoscope Set, 2.5V, Stain, Brass C/P, 2 Handles



Visio 2000 ENT Diagnostic Set – PREMIER

- Fibreoptic Xenon/Halogen
- 2.5V Disposable Batteries (not included)
- Also available in LED

<i>Part No</i>	<i>Description</i>
808-620-25	VISIO 2000 Premier Fibreoptic Xenon/Halogen ENT Diagnostic Set, 2.5V, Stain, Brass C/P, 1 Handle , VISIO Nasal Illuminator, VISIO Straight Illuminator, Mirror, Tongue Depressor, Reusable & Disposable Eartips, Spare Lamp




Parker Reusable Otoscope Set

Part No	Description
0766	Parker Reusable Prima Otoscope Set Complete with Otoscope, Battery Handle, 1x Set of 5 Reusable Specula Dia 2.5, 3.5, 4.5, 5.5 & 9mm, Spare Lamp - all packaged in a Soft Pouch
833-009-25	Replacement Lamp


Disposable Ear Tips

Part No	Description	Qty
808-212-40	Disposable Ear Tip Diameter 4.0mm, Grey	PKT 250
808-211-25	Disposable Ear Tip Diameter 2.5mm, Grey	PKT 250



Parker Reusable Magill Forceps - Stainless Steel

Part No	Description	Finish	UOM
M043	Infant (18cm)	Satin Finish Forceps	Each
M044	Child (20cm)	Satin Finish Forceps	Each
M045	Adult (23cm)	Satin Finish Forceps	Each



Parker Disposable Magill Forceps - Disposable Stainless Steel

Part No	Description	Finish	UOM	QTY
M043/D	Infant (18cm)	Satin Finish Forceps	Each	10
M044/D	Child (20cm)	Satin Finish Forceps	Each	10
M045/D	Adult (23cm)	Satin Finish Forceps	Each	10






Can also be used to hold down face mask to stop glasses fogging up
See the results below



Without Parker Sil-Flex™ Silicone Tape



RESULTS WITH Parker Sil-Flex™ Silicone Tape

Parker Sil-Flex™ Silicone Fixation Tape

Applications:

- Fragile / Sensitive Skin: Neonates to Geriatric patients.
- Suitable on damaged skin such as Dialysis, Chemotherapy and Radiography patients.
- All types of fixation e.g. IV, Cannula, Tubes, Electrodes etc.

Product Features:

- Excellent adhesive property, leaves no residue.
- Does not stick to hair.
- Waterproof.
- Suitable for Fragile / Sensitive Skin.
- Can be re-applied without losing the adhesiveness.
- **Patented design**, allowing you to tear to the desired length (perforated every 1cm) without compromising the tensile strength of the tape (no scissors required). (Applies only to PH-ST1519, PH-ST1525 & PH-ST5025)
- Transparent, soft and pliable, will not damage or disrupt any skin layers.
- Higher conforming property due to PU backing when compared to existing tapes.

Part No.	Description	QTY
PH-ST1519	1.5m Length Roll, 1.9cm Width, Perforated	Box of 6 rolls
PH-ST1525	1.5m Length Roll, 2.5cm Width, Perforated	Box of 6 rolls
PH-ST5025	5.0m Length Roll, 2.5cm Width, Perforated	Box of 6 rolls
PH-ST2050	5cm Length, 2.0cm Width, 2 strips/pack Beige	Box of 50 packs



PH-ST1519 1.5m Length, 1.9cm Width



PH-ST1525 1.5m Length, 2.5cm Width




PH-ST5025 5.0m Length, 2.5cm Width



PH-ST2050 5cm Length, 2cm Width. Beige






“Softi” Smoothflow® Cannula

“Softi” Smoothflow® Oxygen Nasal CO₂ Sampling Cannula

- Contoured “Softi” Smoothflow® cannula provides total patient comfort
- The design allows delivery of oxygen to one nasal prong and sampling of expired CO₂ gases from the other prong simultaneously
- Available in adult & paediatric sizes
- Four (4) CO₂ connections to select from
- Star lumen tubing
- Over the ear fit secures position on the patient



Part No	Cannula Size	Tube Length	Connection	QTY
PHC02-261	Adult	2.1 m	Male Luer	50
PHC02-261-4	Adult	4.0 m	Male Luer	50
PHC02-263	Paediatric	2.1 m	Male Luer	50
PHC02-263-4	Paediatric	4.0 m	Male Luer	50
PHC02-261/F	Adult	2.1 m	Female Luer	50
PHC02-261-4/F	Adult	4.0 m	Female Luer	50
PHC02-263/F	Paediatric	2.1 m	Female Luer	50
PHC02-263-4/F	Paediatric	4.0 m	Female Luer	50
PHC02-261-ZMF	Adult	2.1 m	Micro Filter	50
PHC02-261-4-ZMF	Adult	4.0 m	Micro Filter	50
PHC02-263-ZMF	Paediatric	2.1 m	Micro Filter	50
PHC02-263-4-ZMF	Paediatric	4.0 m	Micro Filter	50
PHC02-261-ZMFO	Adult	2.1 m	Orange Input Connector Female Luer	50
PHC02-263-ZMFO	Paediatric	2.1 m	Orange Input Connector Female Luer	50



“Softi” Smoothflow® Oxygen Nasal Curved Tips Cannula

- Contoured “Softi” Smoothflow® cannula provides total patient comfort
- Over the ear fit secures position on the patient

Part No	Size	Connection	QTY
DR-0161	Adult	6mm M Barbed Nipple	50
DR-0163	Paediatric	6mm M Barbed Nipple	50





Oxygen Nasal Curved Tips Cannula

- Contoured soft cannula provides total patient comfort
- Star lumen tubing
- Flexible PVC tubing with standard connectors
- Over the ear fit secures position on the patient
- Latex and DEHP Free

Part No.	Size	Tube Length	QTY
PH2801	Adult	2.1 metre	50
PH2801-GR	Adult	2.1 metre, Green	50
PH2801-3GR	Adult	3 metre, Green	50
PH2803	Paediatric	2.1 metre	50
PH2803-3GR	Paediatric	3 metre, Green	50
PH2804	Infant	2.1 metre	50
PH2804-3GR	Infant	3 metre, Green	50
PH2805	Neonate	2.1 metre	50
PH2805-3GR	Neonate	3 metre, Green	50

Flared Tip

PH2801-F	Adult	2.1 metre	50
PH2801-F-GR	Adult	2.1 metre, Green	50
PH2801-F-3GR	Adult	3 metre, Green	50



Non-Kink Star Lumen Disposable Oxygen Tubing

- Kink resistant tubing with inner star lumen design
- Flexible PVC tubing with standard connectors
- Lengths available in 2.1, 3, 4, 6, 10 and 15 metre variations
- Latex & DEHP Free

Part No	Description	QTY
PH3400-2.1	2.1 metre oxygen tubing	50
PH3400-2.1GR	2.1 metre oxygen tubing GREEN	50
PH3400-3	3 metre oxygen tubing	50
PH3400-3GR	3 metre oxygen tubing GREEN	50
PH3400-4	4 metre oxygen tubing	50
PH3400-6	6 metre oxygen tubing	25
PH3400-10GR	10 metre oxygen tubing GREEN	15
PH3400-15GR	15 metre oxygen tubing GREEN	10



Flexible Oxygen Bubble Tubing

- Flexible oxygen bubble tubing
- Available in 30 metre rolls
- Can be cut to any length as required
- Fits multiple oxygen therapy devices and connectors

OBTG-3-30	Oxygen Bubble Tubing 3.0 mm ID, Bubble every 90cm, (30m per roll)
------------------	---



MP0300



MP0500

CO₂ Sample Lines with Inner “Star Lumen” Design

Part No	Description	QTY
MP0300	3.0 m (10ft.) CO ₂ Sample Line M/F Luer connection	50
MP0315	4.5 m (15ft.) CO ₂ Sample Line M/F Luer connection	50
MP0330	9.0 m (30ft.) CO ₂ Sample Line M/F Luer connection	50
MP0500	3.0 m (10ft.) CO ₂ Sample Line M/M Luer connection	50
MP0515	4.5 m (15ft.) CO ₂ Sample Line M/M Luer connection	50
MP0530	9.0 m (30ft.) CO ₂ Sample Line M/M Luer connection	50



Suction Connection Tubing

- Easy to apply to Suction Outlets
- Flexible tubing with Yellow hexagonal cuffed ends
- Minimal coil memory
- Clear PVC formulation with striated walls
- 6mm lumen

Part No	Length	Pack Type	Sterile	Box Qty
PH-DC6015	1.5m	Single	No	50
PH-DC6020	2.0m	Single	No	50
PH-DC6030	3.0m	Single	No	50
PH-DC6045	4.5m	Single	No	20
PH-DC6060	6.0m	Single	No	20
PH-DC6015(DPS)	1.5m	Double	Yes	50
PH-DC6020(DPS)	2.0m	Double	Yes	50
PH-DC6030(DPS)	3.0m	Double	Yes	50
PH-DC6045(DPS)	4.5m	Double	Yes	20
PH-DC6060(DPS)	6.0m	Double	Yes	20

Meeting Australian Standards for Suction Colour Coding



Yankauer Suction Handpiece

Part No	Description	QTY
PH/YSH/001	Crown tip without Vent, Sterile Packed	100
PH/YSH/002	Crown tip with Vent, Sterile Packed	100





V7 mx Portable Suction Unit

Due to their versatility, they can be used in hospitals, ambulances, home-care therapies and other emergency services. Suitable for surgery, gynaecology and otorhinolaryngology.

Features:

- ABS ergonomical case
- Vacuum control knob
- Vacuum gauge from / to: 0-100kPa / 0-760 mmHg
- Water-proof ON/OFF switch with guard
- LED battery with level indicator lights
- 1L Polycarbonate suction jar with overfilling safety valve
- Bacteria filter and suction hoses included

Part No	Description
5320236	V7 mx Portable Suction Unit
5320261	V7 plus b Portable Suction Unit

*2L suction jar available upon request

	Suction Jar Size	Power Supply	Free air suction flow	Maximum vacuum	Electric power	Internal battery	AC Internal battery charger	AC/DC External battery charger	Cable 12/24 V for ambulance	Bacteria filter	Weight
5320236 V7 mx	1L	100/240 V _{ac} 12V _{dc} Battery	30L/min	84 kPa 630 mmHg	160 W (ac) 84 W (dc)	12 V - 4.5 Ah Ac-Pb 65 min	✓		✓	✓	4.5kg
5320261 V7 plus b	1L	12V _{dc} Battery	30L/min	84 kPa 630 mmHg	85 W	12 V - 4.5 Ah Ac-Pb 65 min		Optional	✓	✓	4.5kg

VacUp Suction Foot Pedal



- Intense vacuum from the first compression
- Sweep-vacuum-gauge with indicator of 3 scales (bar, cmHg, kPa)
- Vacuum relief manual valve (vacuum can be reduced by pressing the bar)
- High volume (28 L/min at 2 compressions per second. 72 L/min maximum)
- Constant flow suction from 40 compressions per minute
- Tank: 650mL of useful capacity with overfilling valve
- 1.5m suction tube with 2 bore suction tips of 5 and 7mm internal diameter
- Weight: 850g

Part No	Description
5300200	VacUp pro Tank in polycarbonate, sterilizable at 121°C up to 40 times and PVC suction tube
5300201	VacUp elite Tank in polysulfone, sterilizable at 135°C up to 100 times and silicone suction tube





Twin-O-Vac

With 2 Oxygen Flowmeters Attached (Sold Separately)

Twin-O-Vac Multi-purpose Suction / Oxygen Device

The Twin-O-Vac is a low cost versatile unit that is ideal when extra or portable sources of oxygen or suction are required. Each Twin-O-Vac uses one oxygen outlet (ie. An oxygen pipeline wall point or cylinder regulator) to provide variable suction plus two separate sources of oxygen. All three outlets can be used simultaneously on up to three different patients if necessary. The Twin-O-Vac can be connected or linked to an assortment of equipment including resuscitators, flowmeters, infant warmers and humidifiers.

Part No	Description
TM117G	Twin-O-Vac Multi-purpose Device 0 to -100 kPa (High Vacuum)
518632	Twin-O-Vac Multi-purpose Device 0 to -25 kPa (Low Vacuum)

Spare Parts

Part No	Description
TVF9000	Disposable Filter (Packet of 20)
522501	Vacuum Gauge, 0 to -100kpa
515754	Service Kit
518578	Suction Control Knob for Twin-O-Vac

FOR A COST-EFFECTIVE DISPOSABLE JAR ALTERNATIVE REFER BELOW



518578



TVF9000



Assembled Unit



TV400-01

Disposable Twin-O-Vac Suction Jar

Save Time, Money and Resources with the new Disposable Twin-O-Vac Jar

- No more messy and time-consuming reprocessing.
- Reduce the risk of splash injuries.
- Reduce the risk of cross-infection.
- Now with NEW handy Jar lid to seal Jar contents after removal.

The new DISPOSABLE Twin-O-Vac Jar is the perfect solution for your suctioning needs.

Part No	Description
TV400-01	Suction Jar Only
TV400-02	Lid Only
TV400-03	Suction Jar and Lid Assembly
TV400-04	Jar, Lid, Filter (Complete)
73287-50/Y	SECUR-A-TAG Yellow Security Tie (Packet of 50)



TV400-03



TV400-04

JAR SPECIFICATIONS

Capacity: 400ml
 Length: 180mm
 Embossed marks every 100ml
 Materials: PP



TV400-02



73287-50/Y





515800

515824



515820

516077

Comweld High and Low Flow Flowmeters

Part No	Description
515824	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 2.5 L/min (Comweld)
515800	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 15 L/min (Comweld)
515820	Ezi-Flow Air Flowmeter with Handwheel 0 - 15 L/min (Comweld)
516077	Oxygen Flowmeter 0 - 60 L/min (Comweld)

Spare Parts

Part No	Description
301827	Shroud, Ezi-Flow (Comweld)
515837	O-ring Service Kit, Ezi-Flow (Comweld)
515856	Spare Needle Valve Assy, Ezi-Flow (Comweld)
551120	Air Spare Parts Kit, Ezi-Flow (Comweld)
551129	Oxygen Spare Parts Kit, Ezi-Flow (Comweld)
MP515830	White Nipple & Wingnut for Oxygen Flowmeters (1/4" BSP Thread)
MP515849	Black Nipple & Wingnut for Air Flowmeters (1/4" BSP Thread)




O-Series Regulators (Comweld)

Part No	Description
518804	O-Series Oxygen Regulator with Yoke
518808	O-Series Nitrous Oxide Regulator with Yoke
518809	O-Series Air Regulator with Yoke
518810	Entonox Regulators with Yoke


Spare Parts

Part No	Description
519026	Kit, Service, Seat, Series-O
551022	Spare, Bodok Seals, Regulators (10/pack)
551024	Sintered Filter Kit
551033	Yoke Assembly Kit - Oxygen
551034	Yoke Assembly Kit - Air
551035	Yoke Assembly Kit - Nitrous Oxide
551042	Spare, Plain Gauge 30,000kPa for O-Series
551043	Spare, Nitrous Oxide Gauge 20,000kPa for O-Series
551044	Spare, Gauge, Air, 30,000kPa, O-Series
551045	Spare, Gauge, Oxygen, 30,000kPa, O-Series



518804

518808



518809

518810





Oxygen Therapy Paediatric Masks

Disposable O₂ Therapy Mask with Elastic Strap
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0155	Paediatric	50
PH0166	<u>Elongated</u> Paediatric	50



Oxygen Therapy Paediatric Mask with Oxygen Tubing

Disposable O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0155-2.1	Paediatric (2.1m Clear Tubing)	50
PH0155-2.1GR	Paediatric (2.1m Green Tubing)	50



Oxygen Therapy Paediatric Elongated Mask with Oxygen Tubing

Disposable Elongated O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0166-2.1	<u>Elongated</u> Paediatric (2.1m Clear Tubing)	50
PH0166-2.1GR	<u>Elongated</u> Paediatric (2.1m Green Tubing)	50
PH0166-3	<u>Elongated</u> Paediatric (3m Clear Tubing)	50
PH0166-3GR	<u>Elongated</u> Paediatric (3m Green Tubing)	50



Oxygen Therapy Adult Masks

Disposable O₂ Therapy Mask with Elastic Strap
Mask Colour: Clear/Transparent


Part No	Description	QTY
PH0177	Adult	50
PH0188	<u>Elongated</u> Adult	50



Oxygen Therapy Adult Mask with Oxygen Tubing

Disposable O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0177-2.1	Adult (2.1m Clear Tubing)	50
PH0177-2.1GR	Adult (2.1m Green Tubing)	50



Oxygen Therapy Adult Elongated Mask with Oxygen Tubing

Disposable Elongated O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0188-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	50
PH0188-2.1GR	<u>Elongated</u> Adult (2.1m Green Tubing)	50
PH0188-3	<u>Elongated</u> Adult (3m Clear Tubing)	50
PH0188-3GR	<u>Elongated</u> Adult (3m Green Tubing)	50

Disposable Aerosol Therapy Paediatric Masks

Disposable Aerosol Therapy Mask with Elastic Strap
Mask Colour: Clear/Transparent



Part No	Description	QTY
PH0255	Paediatric	50
PH0266	<u>Elongated</u> Paediatric	50

Disposable Aerosol Therapy Adult Masks

Disposable Aerosol Therapy Mask with Elastic Strap
Mask Colour: Clear/Transparent



Part No	Description	QTY
PH0277	Adult	50
PH0288	<u>Elongated</u> Adult	50

Disposable Aerosol Therapy Paediatric & Adult Masks with Nebulizer Bottle

Disposable Aerosol Therapy Mask with Elastic Strap, 10ml Nebulizer Bottle
Mask Colour: Clear/Transparent



Part No	Description	QTY
PH0255N	Paediatric	50
PH0266N	<u>Elongated</u> Paediatric	50
PH0277N	Adult	50
PH0288N	<u>Elongated</u> Adult	50



With POP-OFF Valve

Disposable Manual Resuscitator with POP-OFF Valve

Part No	Description	QTY
PH60101	Adult, 1500ml Ventilation Bag, 60cmH ₂ O Pop-off Valve, Size 5 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60102	Paediatric, 450ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 3 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60103	Infant, 280ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 1 Disposable Mask, 600ml Reservoir Bag and 2.1m Non-Kink Tubing	12



Disposable Manual Resuscitator with POP-OFF Valve and Flow Diverter

Part No	Description	QTY
PH60144	Adult, 1500ml Ventilation Bag, 60cmH ₂ O Pop-off Valve, Flow Diverter, All-in-one Intake Valve, Size 5 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Oxygen Tubing	12
PH60145	Paediatric/Child, 450ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Flow Diverter, All-in-one Intake Valve, Size 3 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Oxygen Tubing	12
PH60146	Infant, 280ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Flow Diverter, All-in-one Intake Valve, Size 1 Disposable Mask, 600ml Reservoir Bag and 2.1m Non-Kink Oxygen Tubing	12



With POP-OFF & PEEP Valve

Disposable Manual Resuscitator with POP-OFF & PEEP Valve

Part No	Description	QTY
PH60111	Adult, 1500ml Ventilation Bag, 60cmH ₂ O Pop-off Valve, Size 5 Disposable Mask, 5-20cmH ₂ O PEEP Valve, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60112	Paediatric, 450ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 3 Disposable Mask, 5-20cmH ₂ O PEEP Valve, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	12
PH60113	Infant, 280ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 1 Disposable Mask, 2-10cmH ₂ O PEEP Valve, 600ml Reservoir Bag and 2.1m Non-Kink Tubing	12

Guedel Airways

Non-Sterile - Individually Packaged



<i>Part No</i>	<i>Size</i>	<i>Length</i>	<i>Colour</i>	<i>Qty</i>
PH50123	0000	30mm	Clear	Box/50
PH50124	000	40mm	Pink	Box/50
PH50125	00	50mm	Blue	Box/50
PH50126	0	60mm	Black	Box/50
PH50127	1	70mm	White	Box/50
PH50128	2	80mm	Green	Box/50
PH50129	3	90mm	Yellow	Box/50
PH50130	4	100mm	Red	Box/50
PH50131	5	110mm	Orange	Box/50
PH50132	6	120mm	Purple	Box/50

The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

VISIOFOCUS® Non-contact Thermometer with projected temperature image

- Environment and ambient working temperature: 16 - 40°C
- Forehead measuring range: 34 - 42.5°C
- General measuring range: 1 - 55°C
- Quick calibration with MQCS & AQCS
- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- Measures and projects the temperature of objects, food, liquids and the skin, as well as the ambient temperature.
- 5 Colour illuminated display.
- 9 Recalable memories.

Part No	Description
06400	Visiofocus Non-contact Image Projector Thermometer



MADE IN ITALY

Body Temperature	Bottle	Food	Bath	Bedding	Skin Temperature	Ambient	Memory Recall

The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

VISIOFOCUS® PRO Non-contact Thermometer with projected temperature image

- Quick calibration with MQCS
- Environment and ambient working temperature: 0 - 45°C
- Forehead measuring range: 34 - 42.5°C
- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- 5 Colour illuminated display.
- 9 Recallable memories.
- Gives temperature reading in less than 1 second
- Can take the temperature of up to 1,000 patients per hour

Part No	Description
06480	Visiofocus PRO Non-contact Image Projector Thermometer



BODY TEMPERATURE	MEMORY	AMBIENT	CALIBRATION MQCS





VT Calibration Checker

- Tests correct calibration of Visiofocus thermometers
- Suits models 06400 Visiofocus and 06480 Visiofocus Pro
- Consists of two cotton gloves, four AAA batteries and the VT Checker

Part No	Description
VT/CHECKER	Visiofocus Calibration Checker




VISIOFOCUS® Mini Non-contact Thermometer with projected temperature image

The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- Measures and projects the temperature of objects, food, liquids and the skin, as well as the ambient temperature.
- Forehead measuring range: 34 - 42.5°C
- General measuring range: 1 - 80°C

Part No	Description
06700	Non-contact Image Projector Thermometer





PARKERmed Non-contact Infrared Thermometer

- Comparatively lightweight and small in size
- Rapid Temperature Measurement
- Fever Alert Setting
- Stores Last 10 Readings
- Motor Vibration Reminder
- High Quality Sensor for Accurate Temperature Measurement
- Two Measurement Modes for Body or Object
- Automatic Shut off
- Quality LCD Screen

Part No	Description
PM1000	Non-contact Infrared Thermometer



PARKERmed Non-contact Infrared Thermometer

- Comparatively lightweight and small in size
- Adopting reliable sensor made in Germany
- All-new & Patented probe design to ensure high accuracy
- Measurement mode for human body and object available. One button to switch measurement mode
- Beeper for fever or high temperature
- 3 Colours Backlight LCD for easy reading
- C / F reading available
- 10 memories
- Automatic shut off

Part No	Description
PM9000	Non-contact Infrared Thermometer



Alarm Colours:
Normal
 Slight Fever
 High Fever





Bluetooth Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂, PR, PI
- Colour OLED Display with 2 modes
- Suitable for Adult, Adolescent, Child & Infant
- Automatic power-off design
- Protective Carry Case

<i>Part No</i>	<i>Description</i>
PH-MD300C1218	Adult Finger Pulse Oximeter



Adult SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

<i>Part No</i>	<i>Description</i>
PH-MD300C22	Adult Finger Pulse Oximeter



Oxywatch Adult SpO₂ Finger Pulse Oximeter

- Dual colour OLED displays SpO₂, PR, Pulse bar, and waveform
- Low power consumption; real-time battery status indication
- Level 1-10 adjustable brightness.
- 6 display modes
- 2pcs AAA-size batteries; battery-low indicator
- Automatically power off

<i>Part No</i>	<i>Description</i>
PH-MD300C2F	Adult Finger Pulse Oximeter



Bear



Frog



Panda

Paediatric SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Special cartoon design for children
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

<i>Part No</i>	<i>Description</i>
PH-MD300C52	Paediatric Finger Pulse Oximeter (Bear)
PH-MD300C53	Paediatric Finger Pulse Oximeter (Frog)
PH-MD300C55	Paediatric Finger Pulse Oximeter (Panda)



Emergency Cart

Designed to manage a first-aid patient in an emergency.

- Ergonomically designed push-handle and solid construction
- Pull-out sliding writing shelf makes efficient use of space
- Total locking key system
- Upgraded storage and mobility efficiency
- Each drawer contains ABS baskets with organising dividers
- 125mm Castors (2 with locking brake)

Part No	Description
HL-EC0411-1	Emergency Cart Size: 850(W) x 520(D) x 1010(H)mm

Optional Accessories:

Part No	Description
HL-DSF-AC	Defibrillator Shelf, 400 x 330 x 152mm
HL-IVP2-AC	IV Pole (2 hooks) for Emergency Cart
HL-OTH115-AC	Oxygen Bottle Holder, 115 x 80 500mm

NOTE: Monitor not supplied with Cart

* ALL OPTIONS MUST BE NOMINATED AT TIME OF INITIAL ORDER PLACEMENT



Standard Accessories:



CPR Board



Sliding Side Shelf & Tray



Utility Container



Rubbish Bin



Removable drawer totes allow for fast repositioning.



Drawers are easily positioned without the use of tools (Ball-bearing rails)

SmartStack Patient Care Stand

Features:

- Patented nesting design allows for extra storage space, better facility organization, and the simultaneous transportation of multiple stands
- Large, smooth-rolling castors with 2 wheel locks
- Includes 4 fixed ram-horn hooks
- Easy, one-handed height adjustment
- Collapsed height of 65" with an extended height of 88"
- 45kg maximum load capacity
- Provides extra support & stability

Part No	Description
R100P49-001	Single SmartStack Patient Care Stand
R100P49-008	SmartStack Patient Care Stand - Set of 8

Adjust Pole Quickly with Ease



Sturdy Base for Added Stability & Durability



Patented Nesting Design





Protective Face Shield - Anti Fog

- Anti-Fog Grade Super Clear PET
- Protects facial area and associated mucous membranes (eyes, nose, mouth) from splashes and sprays of body fluids.
- Light Weight
- Durable
- Comfortable
- Suitable for use by healthcare workers, dental providers, veterinary care personnel, laboratory workers, pre-hospital emergency medical providers, police, firefighters, and custodial staff dealing with germs, spills and contaminated waste.

Part No	Description
FPS02-AF-P	Anti Fog Protective Face Shield



Ideal for sealing containers.
Contains writable contents tag

SECUR-A-TAG Security Ties

- Tamper-Evident Design
- Assortment of Colours
- Easy to Use - Loop, Insert & Pull
- Write-on Identification Tag
- Secures up to 45mm diameter
- Hundreds of Uses

73287-50/A	Security Ties (Assorted Colours) 10 of each colour (Box of 50)
73287-50/B	Security Ties BLUE only (Box of 50)
73287-50/G	Security Ties GREEN only (Box of 50)
73287-50/P	Security Ties PINK only (Box of 50)
73287-50/R	Security Ties RED only (Box of 50)
73287-50/Y	Security Ties YELLOW only (Box of 50)

NOTE: Colours may vary slightly from pictured items




Red



Yellow



Green



Blue



Pink



SECUR-A-TAG
The essential traveling companion



Index

B

Breathing Circuits, Disposable	10
Breathing Circuits, QTube	11

C

Catheter Mount with UNIVERSAL CONNECTOR, HMEF Filter Combo	8
Catheter Mounts, Disposable	6–7
Circuits, Breathing, Anaesthetic/Ventilation, Disposable	10
Comweld High and Low Flow Flowmeters	30
Corrugated Disposable Plastic Tubing	12

D

DUOSCOPE™	15
-----------	----

E

Elbow Connector	7
Emergency Cart	40
Extension Sets	11

F

Face Shield	42
Filters, HMEF, Viral/Bacterial	9
Finger Pulse Oximeters	39
Fixation Tape, Silicone	24
Forceps, Magill, Disposable	23
Forceps, Magill, Reusable	23
Furniture, Emergency Cart	40
Furniture, SmartStack Patient Care Stand	41

G

Guedel Airways	34
----------------	----

H

Heat and Moisture Exchange Filters (HMEF Series)	9
--	---

L

Laryngoscope, Blades, Fibreoptic/LED, Disposable	17
Laryngoscope, Blades, Reusable	17

Laryngoscope, DUOSCOPE™	15
Laryngoscope, Handles, Parker LED, Reusable	20
Laryngoscope, Handles, Standard/Conventional, LED, Disposable	20
Laryngoscope, ONESCOPE™	16
Laryngoscope, Video	18–19
Laryngoscopes, Blades, Disposable	17
Laryngoscopes, Disposable	15–16

M

MACINTOSH Disposable Fibreoptic/LED Blades	17
MACINTOSH Reusable Blades	17
Mask Elbow	7
Masks, Aerosol Therapy	32
Masks, Air Cushion, Strawberry Scented, Disposable	13
Masks, Cushion, Silicone, Reusable	14
Masks, Laryngeal, Silicone, Disposable	21
Masks, Laryngeal, Silicone, Reinforced, Disposable	21
Masks, Oxygen Therapy	31
Masks, Silicone, Donut	14
Masks, Silicone, Reusable	14
Multi-size Tubing Joiner	7

N

Nasal Cannula, Oxygen	26
Nasal Cannula, Oxygen, CO2, Softi Smoothflow, Diagnostic	25
Nasal Cannula, Oxygen, Softi Smoothflow	25
Nitrous Oxide & Oxygen Systems, MXR Continuous Flow	5

O

O-Series Regulators (Comweld)	30
ONESCOPE™	16
Ophthalmoscope Set	22
Otoscope Set	23

P

PARKERmed Non-contact Infrared Thermometer	3	8
Patient Care Stand	41	

Index

Q

QTube™ Breathing Circuits 11

R

Rebreathing Bags, Disposable 12

Rebreathing Bags, Reusable 12

Regulators, Comweld, O-Series 30

Respiratory Filters :

High performance bacterial / viral respiratory filter 9

Respiratory Filters :

Low resistance bacterial / viral respiratory filter 9

Resuscitator, Manual, POP-OFF Valve, Disposable 33

S

Security Ties, SECUR-A-TAG 42

Silicone Donut Masks 14

SmartStack Patient Care Stand 41

Suction Connection Tubing 27

Suction Foot Pedal, VacUp 28

Suction Handpieces 27

Suction Unit, Portable, V7 28

Swivel Oxygen Connector 7

T

Tape, Silicone, Fixation 24

Thermal Grade Extension Sets 11

Thermometers 35–38

Thermometers, Calibration Checker 37

Tubing, Corrugated, Plastic, Disposable 12

Tubing, Oxygen, Flexible, Bubble 26

Tubing, Oxygen, Non-Kink Star Lumen, Disposable 26

Tubing, Suction Connection 27

Twin-O-Vac Multi-purpose Suction/Oxygen Device 29

Twin-O-Vac Suction Jar 29

V

Video Laryngoscope 18–19

VISIOFOCUS® Mini Non-contact Thermometer 37

VISIOFOCUS® Non-contact Thermometer 35

VISIOFOCUS® PRO Non-contact Thermometer 36

VT Calibration Checker 37

Y

Yankauer Suction Handpiece 27

Notes

Notes



TERMS AND CONDITIONS OF SALE

Parker Healthcare (ABN 43 006 420 364) hereafter known as "the Company".

1. All goods purchased in Australia, with the exception of Furniture and orders under \$200.00 are delivered Free Into Store (F.I.S.) (unless otherwise agreed in writing). All goods purchased outside Australia, are supplied at ex-factory prices (unless otherwise agreed in writing).
2. All products delivered to On-sellers and Distributors are supplied at ex-Factory Melbourne prices (unless otherwise agreed in writing).
3. All risks in the products not delivered F.I.S., shall pass to the "Purchaser" when the product leaves the "Company" store and from that point, regardless of how delivery is affected, any insurance shall be the purchaser's responsibility. Please state Insurance Open Policy number on confirmation order.
4. All orders must meet the "Company's" minimum order value of \$200.00. Any order under this limit will attract a "Minimum Order Fee" to the value of the difference between the order and \$200.00.
5. Written quotations are firm for 30 days (unless otherwise stated) from date of writing except for material changes in exchange rates or increases in duty on imported products.
6. Verbal prices quoted are subject to change without notice and are recommended prices only.
7. All orders must be confirmed in writing.
8. All claims for short delivery will only be recognized if made in writing 48 hours from date of delivery.
9. The "Company" takes no responsibility for incorrect freight methods when freight details are not clearly advised at time of ordering and marked on the confirmation order.
10. Payment is strictly net 30 days from date of invoice unless otherwise arranged. It is the option of the "Company" to charge an interest fee of 18.0% p.a. on all amounts outstanding after 30 days.
11. Title to the products shall not pass to the "Purchaser" until the full invoice price has been received by the "Company". The "Purchaser" shall hold the products solely as bailee, returnable on demand, pending passing of title.
12. A Goods Return Authorisation Number must be requested from the "Company" prior to any item being returned for any reason. This number MUST accompany all documentation and all items returned to the "Company" Stores. The "Company" reserves the right to refuse acceptance of returned items not bearing this authorisation number.
13. A 20% minimum restocking charge will apply to all goods returned due to an ordering error by the "Purchaser". Freight on returned goods will be the responsibility of the "Purchaser". Goods held for more than seven (7) days from date of sale will not be accepted for return.
14. Goods supplied as a special make or a one off requirement will not be accepted for return under any circumstances.
15. An official "company" approval number must be quoted when requesting payment for any repairs carried out by an approved Repairer.
16. Disposable products are sold in box quantities.
17. Should a standing order be cancelled or reduced in any significant way, the "Company" reserves the right to recover the costs of any 'no charge' items previously delivered as part of the existing standing order arrangement.
18. Where a customer changes the requested delivery date of an order, payment for the goods is required to be made in accordance with the approved credit terms of the customer, using the original dispatch date as invoice date. Furthermore, if the goods are required to be stored for an extended period, the "Company" reserves the right to charge a holding fee .

Parker Healthcare Pty Ltd
Head Office & International Department:
16 Redland Drive, Mitcham, VIC., 3132 Australia
Phone: +61 (0)3 9872 0222 Facsimile: +61 (0)3 9873 5911
E-mail: sales@parkerhealth.com.au
Represented in all Australian states



AUSTRALIAN OWNED & OPERATED



Sales and Service Australia / Malaysia / New Zealand

Some products and services may not be available to Malaysian and New Zealand customers due to distribution agreements.

All content subject to change without prior notification.

Parker Healthcare Pty Ltd

16 Redland Drive,
Mitcham, VIC., 3132 Australia
Phone: +61 3 9872 0222
Facsimile: +61 3 9873 5911
E-mail: sales@parkerhealth.com.au
www.parkerhealth.com.au

Parker Healthcare Sdn Bhd

No. 22 Jalan Udang Harimau 2, Medan Niaga,
Kepong 51200 Kuala Lumpur Malaysia
Phone: +60 3 6263 2848
Facsimile : +60 3 6262 9848
E-mail: sales@parkerhealth.com.my
www.parkerhealth.com.my

Parker Healthcare NZ Ltd

PO Box 101042, NSMC, North Shore City 0745
Auckland NZ
Phone: +64 9 415 8524
Facsimile: +64 9 415 9672
E-mail: sales@parkerhealth.co.nz
www.parkerhealth.co.nz