



Home Health

PRODUCT CATALOGUE 2024



AUSTRALIAN OWNED & OPERATED

Ideas Today for Tomorrow's Healthcare Products



Australian Head Office & Service Centre



Malaysian and International Head Office



Australian Distribution Centre



Company Profile

Founded in 1985, Parker Healthcare Pty Ltd is an Australian owned and operated medical supply company, with offices located in all main states of Australia and international offices in both New Zealand and Malaysia.

As a Quality Assured ISO 9001:2015 accredited company, Parker Healthcare supplies a diverse range of products that covers the neonatal through to adult divisions of the hospital. These segments include, but are not limited to; Anaesthesia and Respiratory Care, Infant and Paediatric Care, Maternity, Emergency and ICU.

Parker Healthcare have specialised divisions covering Hospital, Pharmacy, Aged Care, Veterinary and Home Healthcare, enabling the purchase and supply of products specific to these industries.

Parker Healthcare is committed to working towards continual improvement in the quality of care given to all patients. Through understanding our customers' needs and expectations this enables us to develop consumables and equipment to address the changing needs of both Australian and International healthcare.

Core Capabilities

- Own manufacturing facility in Malaysia (approx. 32,000 sq ft)
- Outstanding customer service
- Wide range of products
- Stringent quality control checks
- Highly experienced and trained workforce with over 35 years of industry experience
- Service Department for fast and local service & maintenance of goods
- ISO 9001:2015 Accredited

Mr. Ian Bird
Managing Director



Aged Care



Pharmacy



Hospital



Home Health



Veterinary



www.parkerhealth.com.au

Contents



Non-Contact Thermometers
Pages 5-6




Silicone Fixation Tape
Page 7



Monitoring
Pages 8-9




Nebulizers & CPAP Masks
Page 10-11



Expandable & Smoothbore Tubing
Page 12




Manual Resuscitators & CPR Pocket Resuscitators
Page 13



Nasal Cannulas
Pages 14-16



Oxygen Tubing & Connectors
Page 17



Suction Tubing
Pages 18



Oxygen, Aerosol & Tracheostomy Masks
Pages 19-20



Gas Equipment
Pages 21-24



Portable Oxygen Concentrators & Accessories
Page 25-26



Infant Care & Maternity
Pages 27-29



Miscellaneous
Page 30



The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

VISIOFOCUS® Non-contact Thermometer with projected temperature image

- Environment and ambient working temperature: 16 - 40°C
- Forehead measuring range: 34 - 42.5°C
- General measuring range: 1 - 55°C
- Quick calibration with MQCS & AQCS
- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- Measures and projects the temperature of objects, food, liquids and the skin, as well as the ambient temperature.
- 5 Colour illuminated display.
- 9 Recallable memories.



Part No Description
06400 Visiofocus Non-contact Image Projector Thermometer

Body Temperature	Bottle	Food	Bath	Bedding	Skin Temperature	Ambient	Memory Recall

VISIOFOCUS® Mini Non-contact Thermometer with projected temperature image

The only non-contact thermometer in the World that takes temperature and projects it onto the surface being scanned (including liquids)

- Projected image indication of correct reading distance.
- Silent, non-contact reader does not disturb your child's sleep.
- Measures and projects the temperature of objects, food, liquids and the skin, as well as the ambient temperature.
- Forehead measuring range: 34 - 42.5°C
- General measuring range: 1 - 80°C

Part No Description
06700 Non-contact Image Projector Thermometer



TOO FAR! • 36.8°C	TOO CLOSE! • 37.2°C	YES: CORRECT DISTANCE! • 37.0°C
-------------------	---------------------	---------------------------------





Alarm Colours:



PARKERmed Non-contact Infrared Thermometer

- Comparatively lightweight and small in size
- Adopting reliable sensor made in Germany
- All-new & Patented probe design to ensure high accuracy
- Measurement mode for human body and object available. One button to switch measurement mode
- Beeper for fever or high temperature
- 3 Colours Backlight LCD for easy reading
- C / F reading available
- 10 memories
- Automatic shut off

Part No	Description
PM9000	Non-contact Infrared Thermometer



Protective Face Shield - Anti Fog

- Anti-Fog Grade Super Clear PET
- Protects facial area and associated mucous membranes (eyes, nose, mouth) from splashes and sprays of body fluids.
- Light Weight
- Durable
- Comfortable
- Suitable for use by healthcare workers, dental providers, veterinary care personnel, laboratory workers, pre-hospital emergency medical providers, police, firefighters, and custodial staff dealing with germs, spills and contaminated waste.

Part No	Description
FPS02-AF-P	Anti Fog Protective Face Shield





**Parker Sil-Flex™
Silicone Fixation Tape**

Applications:

- Fragile / Sensitive Skin: Neonates to Geriatric patients.
- Suitable on damaged skin such as Dialysis, Chemotherapy and Radiography patients.
- All types of fixation e.g. IV, Cannula, Tubes, Electrodes etc.

Product Features:

- Excellent adhesive property, leaves no residue.
- Does not stick to hair.
- Waterproof.
- Suitable for Fragile / Sensitive Skin.
- Can be re-applied without losing the adhesiveness.
- **Patented design**, allowing you to tear to the desired length (perforated every 1cm) without compromising the tensile strength of the tape (no scissors required). (Applies only to PH-ST1519, PH-ST1525 & PH-ST5025)
- Transparent, soft and pliable, will not damage or disrupt any skin layers.
- Higher conforming property due to PU backing when compared to existing tapes.

Can also be used to hold down face mask to stop glasses fogging up
See the results below

Part No.	Description	QTY
PH-ST1519	1.5m Length Roll, 1.9cm Width, Perforated	2 Rolls
PH-ST1525	1.5m Length Roll, 2.5cm Width, Perforated	2 Rolls
PH-ST5025	5.0m Length Roll, 2.5cm Width, Perforated	2 Rolls
PH-ST2050	5cm Length, 2.0cm Width, 2 strips/pack Beige	5 packs



Without Parker Sil-Flex™
Silicone Tape



Results with Parker Sil-Flex™
Silicone Tape



PH-ST1519 1.5m Length, 1.9cm Width



PH-ST1525 1.5m Length, 2.5cm Width



PH-ST5025 5.0m Length, 2.5cm Width



PH-ST2050 5cm Length, 2cm Width. Biege. Sterile.



PARKERmed Talking Blood Pressure Monitor

- Large LCD Display with Tricolour backlight
- Memory function (2 users x 120 groups of measured values)
- Alarm function
- Auto power off 3 mins after last operation
- Irregular heart beat detection function
- Easy to operate, automatic operation
- LCD Display emits colour to reflect Low, Normal or High Blood Pressure reading

Part No	Description
PM-BP386A	Talking Blood Pressure Monitor



The Talking
Blood Pressure Monitor



Reflects Patient Blood Pressure in color



Oxywatch Adult SpO₂ Finger Pulse Oximeter

- Dual colour OLED displays SpO₂, PR, Pulse bar, and waveform
- Low power consumption; real-time battery status indication
- Level 1-10 adjustable brightness.
- 6 display modes
- 2pcs AAA-size batteries; battery-low indicator
- Automatically power off

Part No *Description*

PH-MD300C2F Adult Finger Pulse Oximeter



Adult SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

Part No *Description*

PH-MD300C22 Adult Finger Pulse Oximeter



Paediatric SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Special cartoon design for children
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

Part No *Description*

PH-MD300C53 Paediatric Finger Pulse Oximeter (Frog)



Paediatric SpO₂ Finger Pulse Oximeter

- Highly Accurate
- Special cartoon design for children
- Display SpO₂ waveform (pleth or line), SpO₂, PR, bar graph
- LCD display screen with six display modes
- Automatic power-off design

Part No *Description*

PH-MD300C52 Paediatric Finger Pulse Oximeter (Bear)



Portable Nebulizer

- Vibrating Mesh provides fine mist
- 5 µm particale spray above 60%
- Compact and Portable
- Automatic shutdown after 20 minutes
- Built-in Low Battery indicator
- Power options: 2 AA batteries or USB cable

Part No	Description
PH-NBM-1	Portable Mesh Nebulizer

Spare Parts:

Part No	Description
NML-006	Large mask
NMS-004	Small mask
NMP-002	Mouthpiece
PH-NBM-001	USB Power adaptor



Tiny Particle



Re-usable Nebulizer



Reliable Quality



Easy to Use

Specifications:

Power Consumption	< 1.5W
Working current consumption	< 500 mA
Sound level	Less than 50 dB at 1 metre
Operation environment	10 ~ 40°C (50°F ~ 104°F), 30% ~ 80% RH
Storage environment	-20 ~ 55°C (-4°F ~ 131°F). ≤85% RH
Nebulizers rate	≤ 0.2mL/min
Time AUTO-OFF	Power on, operation 20 min to auto-off
Medication bottle volume	6 mL
Ultrasonic Oscillation Frequency	103 KHZ ~ 120 KHZ ± 3K
Particle Size	5µm or less accounted for more than 60%
Battery life	Continuous operation ≥ 1 hour, (1.5V X2, AA, Alkaline)
Standards	EN60601-1-1, EN60601-1-2

Accessories:



Large Mask

Part No: NML-006



Small Mask

Part No: NMS-004



Mouthpiece

Part No: NMP-002



USB Power Adaptor

Part No: PH-NBM-001



Easy Adjustment for Correct Forehead Support



Standard Headstrap Included



“Vented” Reusable ‘Cirri’ Full Face CPAP Masks with Headstrap

- 3D mask cushion provides an excellent seal without tight headgear and discomfort
- Simple action to attach and detach the cushion from frame
- Quick release clips allow for easy removal of the headgear
- Innovative adjustable forehead support provides one-handed adjustment and stability
- Flexible, one-piece forehead pads evenly conform to the contour of the forehead
- Quiet air vent that minimizes noise and enable efficient CO₂ washout and vented air is spread as a cloud so that it does not disturb patient or companion.

Part No	Description	Size	QTY
PH11343	Full Face	Small	Each
PH11344	Full Face	Medium	Each
PH11345	Full Face	Large	Each

Easy Adjustment for Correct Forehead Support



Standard Headstrap Included




“Vented” Reusable ‘Cirri’ Nasal Face CPAP Masks with Headstrap

- 3D mask cushion provides an excellent seal without tight headgear and discomfort
- Simple action to attach and detach the cushion from frame
- Quick release clips allow for easy removal of the headgear
- Innovative adjustable forehead support provides one-handed adjustment and stability
- Flexible, one-piece forehead pads evenly conform to the contour of the forehead
- Quiet air vent that minimizes noise and enable efficient CO₂ washout and vented air is spread as a cloud so that it does not disturb patient or companion.

Part No	Description	Size	QTY
PH11353	Nasal Face	Small	Each
PH11354	Nasal Face	Medium	Each
PH11355	Nasal Face	Large	Each






Part No. Legend	
MP	Mediplus
-	
EX	EXpandable
22	Tubing ID (mm) 15, 22
B	Tubing Colour B=Blue, N=Natural, P=Pink
72	Tubing Length (inches) 60", 72", 96", 120"

15mm ID Expandable Disposable Plastic Tubing

Part No	Colour	Length
MP-EX15B60	Blue	1.5m (60")
MP-EX15B72	Blue	1.8m (72")
MP-EX15B96	Blue	2.4m (96")
MP-EX15B120	Blue	3.0 (120")
MP-EX15N60	Natural	1.5m (60")
MP-EX15N72	Natural	1.8m (72")
MP-EX15N96	Natural	2.4m (96")
MP-EX15N120	Natural	3.0 (120")

Disposable Adult Smooth-Bor Tubing - 22mm



Part No	Colour	Length
MP-SB22N48	Natural	1.2m (48")
MP-SB22N72	Natural	1.8m (72")
MP-SB22N96	Natural	2.4m (96")
MP-SB22N120	Natural	3.0m (120")

*Other styles and lengths available upon request.

Reusable Adult Smooth-Bor Tubing with Cuff - 22mm



Part No	Length
SB403-48	1.2m (48")
SB403-72	1.8m (72")
SB403-96	2.4m (96")
SB403-120	3.0m (120")

*More lengths available upon request.

Disposable Manual Resuscitator with POP-OFF Valve




With POP-OFF Valve

Part No	Description	QTY
PH60101	Adult, 1500ml Ventilation Bag, 60cmH ₂ O Pop-off Valve, Size 5 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	Each
PH60102	Paediatric, 450ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 3 Disposable Mask, 2500ml Reservoir Bag and 2.1m Non-Kink Tubing	Each
PH60103	Infant, 280ml Ventilation Bag, 40cmH ₂ O Pop-off Valve, Size 1 Disposable Mask, 600ml Reservoir Bag and 2.1m Non-Kink Tubing	Each

CPR Resuscitators



Part No	Description
PH30100	CPR Resuscitator with Case (Mask, one way valve and filter in a plastic case)
PH30103	Pocket CPR Resuscitator with Case on a Keyring (Shield and Valve/Filter in a plastic pocket case)
PH30104	CPR Resuscitator Shield (Polyethylene Shield in a Foil Packet)



Oxygen Nasal Curved Tips Cannula

- Contoured soft cannula provides total patient comfort
- Star lumen tubing
- Flexible PVC tubing with standard connectors
- Over the ear fit secures position on the patient
- Latex and DEHP Free

Part No.	Size	Tube Length	QTY
PH2801	Adult	2.1 metre	5
PH2801-GR	Adult	2.1 metre, Green	5
PH2801-3GR	Adult	3 metre, Green	5
PH2803	Paediatric	2.1 metre	5
PH2803-3GR	Paediatric	3 metre, Green	5
PH2804	Infant	2.1 metre	5
PH2804-3GR	Infant	3 metre, Green	5
PH2805	Neonate	2.1 metre	5
PH2805-3GR	Neonate	3 metre, Green	5

Flared Tip

PH2801-F	Adult	2.1 metre	5
PH2801-F-GR	Adult	2.1 metre, Green	5
PH2801-F-3GR	Adult	3 metre, Green	5

High Flow Nasal Cannula



- Rotary connector, can be swivelled by user's movement
- Lanyard hole, for hanging on user's neck, to prevent the sudden pull to the ventilator

Part No	Size	QTY
PH14952	Extra-Small	Each
PH14953	Small	Each
PH14954	Medium	Each
PH14955	Large	Each

"Softi" Smoothflow® Oxygen Nasal Curved Tips Cannula

- Contoured "Softi" Smoothflow® cannula provides total patient comfort
- Over the ear fit secures position on the patient



Part No	Size	Connection	QTY
DR-0161	Adult	6mm M Barbed Nipple	5
DR-0163	Paediatric	6mm M Barbed Nipple	5




“Softi” Smoothflow® Diagnostic Cannula

- Can be used in conjunction with pressure transducers or thermistors in Polysomnography (Sleep Studies)
- Optimizes pressure/snore waveform signals
- Inexpensive
- Contoured “Softi” Smoothflow® cannula provides total patient comfort
- Over the ear fit secures position on the patient
- Available in various lengths
- Male luer lock connection



Part No.	Size	Length	Connection	QTY
LD50ML61	Adult	50cm	Male Luer	5
LD50ML63	Paediatric	50cm	Male Luer	5
LD100ML61	Adult	100cm	Male Luer	5
LD100ML63	Paediatric	100cm	Male Luer	5
LD130ML61	Adult	130cm	Male Luer	5
LD130ML63	Paediatric	130cm	Male Luer	5

*Available with Female Luer upon request



Humidity Cannula™

The new and unique adult Humidity Cannula™ is an oxygen supply system which is capable of delivering humidified oxygen through the nares to Adult patients.

- Special Soft Prong design for elderly patients
- Available with optional Comfort Sleeves for tubing stability and comfort for patient
- Available with Luer Port and Cap to infuse the sterile water
- Unique absorbant foam water cartridge allows oxygen to be humidified to patient connection
- 15mmF / 6mm oxygen tubing connector included
- Latex and DEHP free

Part No	Description	QTY
PH-HNC-A-CS	Adult Humidity Cannula with Comfort Sleeve	5
PH-HNC-A	Adult Humidity Cannula <u>without</u> Comfort Sleeve	5



Humidity Cannula™ can easily be infused with a Sterile water ampoule.

Unique adult humidity cannula incorporates inbuilt humidity chamber to deliver humidified oxygen suitable for use with oxygen concentrator, blender or cylinder.



NEW




NeoSmart Cannula®
Oxygen Flow Nasal Cannula

- Special Soft Prong design for the delicate features of Neonates & Infants.
- Available with optional Comfort Sleeves for tubing stability and comfort for baby.
- For use with low / high flow Oxygen.
- Colour coded for easy size identification.
- Can be used with or without humidity.
- Suitable for use in MRI.
- Available with Luer Port and Cap.
- 15mm F / 6mm oxygen tubing connector included.
- Does not contain natural rubber latex or plasticizer DEHP



Quantity : 10pcs per Box


Without Comfort Sleeve:



NeoSmart™ Cannula Elite Series


Part Number	Description
NS-000	NeoSmart™ Cannula Elite Series Size: Extra Small, Colour White
NS-001	NeoSmart™ Cannula Elite Series Size: Small, Colour Green
NS-002	NeoSmart™ Cannula Elite Series Size: Medium, Colour Blue
NS-003	NeoSmart™ Cannula Elite Series Size: Large, Colour Orange

With Comfort Sleeve:



NeoSmart™ Cannula Elite Series with COMFORT SLEEVE

Part Number	Description
NS-CS000	NeoSmart™ Cannula Elite Series with Comfort Sleeve Size: Extra Small, Colour White
NS-CS001	NeoSmart™ Cannula Elite Series with Comfort Sleeve Size: Small, Colour Green
NS-CS002	NeoSmart™ Cannula Elite Series with Comfort Sleeve Size: Medium, Colour Blue
NS-CS003	NeoSmart™ Cannula Elite Series with Comfort Sleeve Size: Large, Colour Orange



R2OF Connector

*All sizes available with R2OF Connector included
Part number example: NS-CS001-A or CS-0001-A





Non-Kink Star Lumen Disposable Oxygen Tubing

- Kink resistant tubing with inner star lumen design
- Flexible PVC tubing with standard connectors
- Lengths available in 2.1, 3, 4, 6, 10 and 15 metre variations
- Latex & DEHP Free

Part No	Description	QTY
PH3400-2.1	2.1 metre oxygen tubing	5
PH3400-2.1GR	2.1 metre oxygen tubing GREEN	5
PH3400-3	3 metre oxygen tubing	5
PH3400-3GR	3 metre oxygen tubing GREEN	5
PH3400-4	4 metre oxygen tubing	5
PH3400-6	6 metre oxygen tubing	5
PH3400-10GR	10 metre oxygen tubing GREEN	2
PH3400-15GR	15 metre oxygen tubing GREEN	2



Flexible Oxygen Bubble Tubing

- Flexible oxygen bubble tubing
- Available in 30 metre rolls
- Can be cut to any length as required
- Fits multiple oxygen therapy devices and connectors

OBTG-3-30 Oxygen Bubble Tubing
3.0 mm ID, Bubble every 90cm,
(30m per roll)

Connectors - Disposable (D)



Part Number: **APM51046**
Description: Mask Elbow 15mm M to 22mm M / 15mm F
UOM: Each
Box Qty: 5




Part Number: **APM51046/S**
Description: Mask Elbow 15mm M to 22mm M / 15mm F
UOM: Each
Box Qty: 10



Part Number: **MP58003**
Description: Multi-size Tubing Joiner
Accepts 5mm to 8mm ID Tubing
UOM: Each
Box Qty: 5



Part Number: **MP58003/S**
Description: Multi-size Tubing Joiner
Accepts 5mm to 8mm ID Tubing
UOM: Each
Box Qty: 10



Part Number: **PH30038**
Description: Swivel Oxygen Connector
Accepts 3mm to 7mm ID Tubing
UOM: Each
Box Qty: 5



Part Number: **MPE161622**
Description: Elbow Connector
22mm F to 22mm M / 15mm F
UOM: Each
Box Qty: 5



Part Number: **PH3000(D)**
Description: Hose Adaptor 22mm M (suit 22mm ID tube) to 22mm F
UOM: Each
Box Qty: 5



Part Number: **PH3100(D)**
Description: Straight Connector 22mm M / 15mm F to 22mm M / 15mm F
UOM: Each
Box Qty: 5



Suction Connection Tubing

- Easy to apply to Suction Outlets
- Flexible tubing with Yellow hexagonal cuffed ends
- Minimal coil memory
- Clear PVC formulation with striated walls
- 6mm lumen

Part No	Length	Pack Type	Sterile	Box Qty
DC6015	1.5m	Single	No	5
DC6020	2.0m	Single	No	5
DC6030	3.0m	Single	No	5
DC6045	4.5m	Single	No	2
DC6060	6.0m	Single	No	2

- Available in 'sterile' if required.

Meeting Australian Standards for Suction Colour Coding



Yankauer Suction Handpiece

Part No	Description	QTY
PH/YSH/001	Crown tip without Vent, Sterile Packed	10
PH/YSH/002	Crown tip with Vent, Sterile Packed	10



Oxygen Therapy Adult Elongated Mask with Oxygen Tubing

Disposable Elongated O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0188-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	Each
PH0188-2.1GR	<u>Elongated</u> Adult (2.1m Green Tubing)	Each
PH0188-3	<u>Elongated</u> Adult (3m Clear Tubing)	Each
PH0188-3GR	<u>Elongated</u> Adult (3m Green Tubing)	Each

Oxygen Therapy Paediatric Elongated Mask with Oxygen Tubing

Disposable Elongated O₂ Therapy Mask with Elastic Strap and 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent



Part No	Description	QTY
PH0166-2.1	<u>Elongated</u> Paediatric (2.1m Clear Tubing)	Each
PH0166-2.1GR	<u>Elongated</u> Paediatric (2.1m Green Tubing)	Each
PH0166-3	<u>Elongated</u> Paediatric (3m Clear Tubing)	Each
PH0166-3GR	<u>Elongated</u> Paediatric (3m Green Tubing)	Each

High Concentration Full Non-Rebreathing Oxygen Therapy Paediatric Mask with Oxygen Tubing

Disposable Paediatric O₂ therapy mask with elastic strap, 2.1m Oxygen tubing and 600ml Reservoir bag. Two valves external on mask and one valve on neck of bag.
Mask Colour: Clear/Transparent



Part No	Description	QTY
PH0366-2.1	<u>Elongated</u> Paediatric (2.1m Clear Tubing)	Each
PH0366-2.1GR	<u>Elongated</u> Paediatric (2.1m Green Tubing)	Each

High Concentration Full Non-Rebreathing Oxygen Therapy Adult Mask with Oxygen Tubing



Disposable Adult Elongated O₂ therapy mask with elastic strap, 2.1m Oxygen tubing and 1000ml Reservoir bag. Two valves external on mask and one valve on neck of bag.
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0388-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	Each
PH0388-2.1GR	<u>Elongated</u> Adult (2.1m Green Tubing)	Each
PH0388-3	<u>Elongated</u> Adult (3m Clear Tubing)	Each
PH0388-3GR	<u>Elongated</u> Adult (3m Green Tubing)	Each

Aerosol Therapy Paediatric & Adult Masks With Tubing



Disposable Aerosol Therapy Mask with Elastic Strap, 10ml Nebulizer Bottle, 2.1m Oxygen Tubing
Mask Colour: Clear/Transparent

Part No	Description	QTY
PH0266N-2.1	<u>Elongated</u> Paediatric (2.1m Clear Tubing)	Each
PH0266N-3GR	<u>Elongated</u> Paediatric (3m Green Tubing)	Each
PH0288N-2.1	<u>Elongated</u> Adult (2.1m Clear Tubing)	Each
PH0288N-3GR	<u>Elongated</u> Adult (3m Green Tubing)	Each

Tracheostomy Masks with 6mm Connector



Part No	Description	QTY
PH30162	Disposable Adult O ₂ Tracheostomy Mask with Elastic Strap & 6mm Connector	Each
PH30163	Disposable Paediatric O ₂ Tracheostomy Mask with Elastic Strap & 6mm Connector	Each

HME Trach



PH51050902



PH51050901

Description	HME Trach T	HME Trach Basic
Part Number	PH51050902	PH51050901
Connector	15F	15F
Dead Space	8ml	14ml
Pressure Drop	0.15KPa@30L/Min	0.15KPa@30L/min
Moisture output	≥26mg/L @ VT=500ml	≥26mg/L @ VT=500ml
Weight	7g	9g
Box quantity	100	100

UltraMaxO₂ Oxygen Analyser for Oxygen Concentrators



The UltraMaxO₂ was designed for fast and easy verification of oxygen concentration, flow and outlet pressure of oxygen concentrators. Best of all, the UltraMaxO₂ provides unparalleled performance and reliability from its advanced design that includes the following features and operational benefits:

- Accurately measure O₂, flow and pressure
- No oxygen sensor required
- No in-field calibration
- Self-diagnostics
- Shielded, reinforced sample gas inlet port
- Includes silicone case for increased durability

Part No	Description
R221P11-001	UltraMaxO ₂ Oxygen Analyser

NOTE: Only to be used for analysis of Oxygen Concentrators

Perflow High Precision Flowmeter “Multy”

High precision flowmeter with pre-calibrated flows. The “click-style” positioning is accurate and prevents accidental flow changes.

- Pressure stabilised, micro regulator ensures flow accuracy in the event of changes to supply pressure.
- Compact & Robust
- Works at ANY angle
- Models available to suit a wide range
- No more expensive glass tube repairs
- No more “Guessing” of flow rates
- Allows fine titration of flows



Part No	Description
4540840	0 - 1 L/min Precision Oxygen Flowmeter
4540850	0 - 5 L/min Precision Oxygen Flowmeter
4540860	0 - 15 L/min Precision Oxygen Flowmeter
4540870	0 - 15 L/min Precision Air Flowmeter
4540810	0 - 50 L/min Precision Oxygen Flowmeter
4540830	0 - 50 L/min Precision Air Flowmeter

Spare Parts

Part No	Description
MP515916-W	White Nipple & Wingnut for Oxygen Flowmeters (9/16” UNF - US Thread)
MP515916-B	Black Nipple & Wingnut for Air Flowmeters (9/16” UNF - US Thread)
R219P50	2-in-1 Metal, Single (For Male DISS Thread Flowmeters)
R219P50/BSP	2-in-1 Metal, Single (For Male BSP Thread Flowmeters)



515800

515824



515820

516077

Comweld High and Low Flow Flowmeters

Part No	Description
515824	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 2.5 L/min (Comweld)
515800	Ezi-Flow Oxygen Flowmeter with Handwheel 0 - 15 L/min (Comweld)
515820	Ezi-Flow Air Flowmeter with Handwheel 0 - 15 L/min (Comweld)
516077	Oxygen Flowmeter 0 - 60 L/min (Comweld)

Spare Parts

Part No	Description
301827	Shroud, Ezi-Flow (Comweld)
515837	O-ring Service Kit, Ezi-Flow (Comweld)
515856	Spare Needle Valve Assy, Ezi-Flow (Comweld)
551120	Air Spare Parts Kit, Ezi-Flow (Comweld)
551129	Oxygen Spare Parts Kit, Ezi-Flow (Comweld)
MP515830	White Nipple & Wingnut for Oxygen Flowmeters (1/4" BSP Thread)
MP515849	Black Nipple & Wingnut for Air Flowmeters (1/4" BSP Thread)




O-Series Regulators (Comweld)

Part No	Description
518804	O-Series Oxygen Regulator with Yoke
518808	O-Series Nitrous Oxide Regulator with Yoke
518809	O-Series Air Regulator with Yoke
518810	Entonox Regulators with Yoke


Spare Parts

Part No	Description
519026	Kit, Service, Seat, Series-O
551022	Spare, Bodok Seals, Regulators (10/pack)
551024	Sintered Filter Kit
551033	Yoke Assembly Kit - Oxygen
551034	Yoke Assembly Kit - Air
551035	Yoke Assembly Kit - Nitrous Oxide
551042	Spare, Plain Gauge 30,000kPa for O-Series
551043	Spare, Nitrous Oxide Gauge 20,000kPa for O-Series
551044	Spare, Gauge, Air, 30,000kPa, O-Series
551045	Spare, Gauge, Oxygen, 30,000kPa, O-Series



518804

518808



518809

518810



P-300 Pressure Regulators



The P-300 oxygen pressure regulators are small, lightweight and ready to work up to a pressure of 300 bar. Perfect for achieving maximum precision in medical oxygen therapy with the highest number of flow steps (14) combined with the smallest flow range available on the market. The P-300 design includes clicks to indicate the flow rate selected.

Part No	Description
5503150	0 - 5 L/min Pressure Regulator (0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1, 1.5, 2, 2.5, 3, 4, 5)
5503250	0 - 15 L/min Pressure Regulator (0, 0.2, 0.5, 0.7, 1, 1.5, 2, 3, 4, 5, 7, 10, 12, 15)
5503350	0 - 30 L/min Pressure Regulator (0, 0.5, 1, 2, 3, 4, 5, 6, 8, 10, 15, 20, 25, 30)

For use with Oxymo Oxygen Conservor:

5501050	Outlet pressure 400kPa with DISS pressure outlet
5504050	0 - 30 L/min Pressure Regulator with 1 DISS auxillary pressure outlet (0, 0.5, 1, 2, 3, 4, 5, 6, 8, 10, 15, 20, 25, 30)

Twin-O-Vac Multi-purpose Suction / Oxygen Device



Twin-O-Vac

With 2 Oxygen Flowmeters Attached (Sold Separately)

The Twin-O-Vac is a low cost versatile unit that is ideal when extra or portable sources of oxygen or suction are required. Each Twin-O-Vac uses one oxygen outlet (ie. An oxygen pipeline wall point or cylinder regulator) to provide variable suction plus two separate sources of oxygen. All three outlets can be used simultaneously on up to three different patients if necessary. The Twin-O-Vac can be connected or linked to an assortment of equipment including resuscitators, flowmeters, infant warmers and humidifiers.

Part No	Description
TM117G	Twin-O-Vac Multi-purpose Device 0 to -100 kPa (High Vacuum)
518632	Twin-O-Vac Multi-purpose Device 0 to -25 kPa (Low Vacuum)

Spare Parts

Part No	Description
TVF9000	Disposable Filter (Packet of 20)
522501	Vacuum Gauge, 0 to -100kpa
515754	Service Kit
518578	Suction Control Knob for Twin-O-Vac

**FOR A COST-EFFECTIVE DISPOSABLE JAR
ALTERNATIVE REFER BELOW**




518578




TVF9000



MP515830



MP515849



MP515916-B



MP515916-W

Flowmeter Nipple and Wingnut

Part No	Description
MP515830	White Nipple & Wingnut for Oxygen Flowmeters (1/4" BSP Thread)
MP515849	Black Nipple & Wingnut for Air Flowmeters (1/4" BSP Thread)
MP515916-W	White Nipple & Wingnut for Oxygen Flowmeters (9/16" UNF - US Thread)
MP515916-B	Black Nipple & Wingnut for Air Flowmeters (9/16" UNF - US Thread)



511956



302920



PH551162

Cylinder Key, Wingscrew and Spanner

Part No	Description
511956	Cylinder Keywheel
302920	Black Wingscrew for Medical Yoke Regulator
PH551162	Cylinder Key Spanner

A keywheel or spanner design product to turn medical gas cylinders on and off



ResPlus BPAP Machine

Superior performance by design

- Patient Ventilator Synchrony: Synchronised patient trigger ensures breathing comfort
- Dynamic monitoring with real-time display of: Waveforms and breathing data that monitors therapy outcomes
- Intelligent Operation Interface: 3.5" Colour TFT Display Concise interface, rotary parameter selection dial, simple and easy to operate, HD colour display
- VAF Intelligent Tidal Volume Control: Ensure target tidal volume meets the needs of different patients
- Ultra quiet operating mode <30db ensures comfort during sleep
- Detachable humidifier: Provides variable humidity settings, removable chamber for ease of cleaning
- Automatic Leakage Compensation: Detects the difference in flow rate when the user turns over at night, automatic compensation of the leakage volume, safer and more effective

Part No	Description
PHB-30T	Bipap machine (CPAP, S/T, S, T)
PHB-30P	Bipap machine (CPAP, S/T, S, T, APCV)



Auto on/off



Synchrony Tech



Ramp



Heated humidifier



Data storage



Tidal Volume Control



Quiet design



Failure alarm



Airleak compensation



Quality assurance



Zen-O™ with bag and pull cart

Zen-O™ Portable Oxygen Concentrator

- Dual FlowMode enables patient to alternative between continuous flow and pulse mode oxygen therapy
- Simple to use – Intuitive button operation
- LCD Display
- Rate Responsive Therapy – oxygen delivered on demand triggered by the patient’s inhalation
- Eco Mode – switch between Rate Responsive to Fixed Minute Volume for longer battery duration
- Auto Mode – activates after 60 seconds if no breath is detected and automatically deliver pulses at a rate of 18 breaths per minute
- Easily replaceable sieve modules
- Durable and reliable



Zen-O™ can hold up to two 12cell batteries

Part No	Description
RS-00502-AUS-D	Zen-O™ concentrator - 2 battery package
RS-00501	Zen-O™ battery
RS-00509	Zen-O™ carry bag
RS-00507	Zen-O™ cart
RS-00508	Zen-O™ DC adaptor
RS-00511	POC filter wrench
RS-00512	POC cannula filter (packet of 10)
RS-00513	Sieve module assembly
RS-00520	Zen-O™ AC power supply
RS-00523	Accessories Bag

Each Zen-O™ device (Part No: RS-00502-AUS-D) is supplied with a carry bag, two batteries, AC/DC power cables and a pull cart.



Accessories bag



Power cords, AC and DC power supply





Zen-O lite™ Portable Oxygen Concentrator

- Compact, portable and lightweight weighing just 2.5kg
- Simple to use – Intuitive button operation
- LCD Display
- Rate Responsive Therapy – oxygen delivered on demand triggered by the patient's inhalation
- Eco Mode – switch between Rate Responsive to Fixed Minute
- Volume for longer battery duration
- Auto Mode – activates after 60 seconds if no breath is detected and automatically deliver pulses at a rate of 18 breaths per minute
- Easily replaceable sieve modules
- Durable and reliable

Part No	Description
RS-00608-AUS-D	Zen-O lite™ concentrator with two 8 cell batteries
RS-00601	Zen-O lite™ rechargeable battery
RS-00602	Zen-O lite™ AC power supply w/EU cord
RS-00605	Zen-O lite™ Dc power supply
RS-00606	Zen-O lite™ carry bag
RS-00616	Replacement sieve modules
RS-00617	Zen-O lite™ cannula wrench
RS-00619	Zen-O lite™ backpack
RS-00512	Zen-O lite™ cannula filter (packet of 10)
RS-00523	Accessories Bag

Each Zen-O lite™ device (Part No: RS-00608-AUS-D) is supplied with a carry bag, two batteries, AC/DC power cables.



Zen-O™ lite carry bag



Power cords, AC and DC power supply



NeoCot with High/Low Stand

The Neo Cot has been designed to support the caring model of both mothers and nursing staff, paying special attention to safety and interaction.

Features:

- Hi/Low Stand (lowest height 62cm)
- Ability to set height to match eye lines to promote kangaroo care
- Waterproof Mattress
- Mattress Platform Tilting
- Space saving design contributes to space management
- Four wheel lock with castors that can be unlocked from any direction
- Variety of accessories can be attached




Neocot shown with various options added

Part No	Description
26408	NeoCot with High/Low Stand

Optional Accessories:


Part No	Description
26113	IV Pole
26114	Drawer
26117	Basket
26411	Cylinder Rack
PHCOTMAT/WW	Waterproof Mattress



26113 IV Pole



26114 Drawer



26117 Basket



26411 Cylinder Rack



PHCOTMAT/WW Mattress

LifeDop® Handheld Doppler Ultrasound System with Digital Display

The LifeDop® offers great sensitivity, high fidelity sound, and the latest technology.

Performance, Reliability, Service

L250 Series

The LifeDop® 250 is a full-featured handheld device with a **large display** that indicates heart rate and battery status. Rechargeable batteries and audio recording are available on specific models. The LifeDop® 250 accepts all LifeDop® non-directional probes.

Features include:

- Improved ergonomics and overall appearance
- Louder audio output and user accessible batteries
- Improved stand and wall mounting

Available with:

- 2MHz Waterproof Probe (Obstetric)
- 3MHz Probe (Obstetric)
- 5MHz Probe (Vascular)
- 8MHz Probe (Vascular)

Frequency	Application	Order Description	Part Number
2 MHz	Waterproof	LifeDop® with Display with 2MHz probe – Waterproof	PHL250-SD2W
		LifeDop® with Display with 2MHz probe – Waterproof Rechargeable	PHL250R-SD2W
3 MHz	Versatile OB/GYN and Early Gestation	LifeDop® with Display with 3 MHz probe	PHL250-SD3
		LifeDop® with Display with 3 MHz probe Rechargeable	PHL250R-SD3
5 MHz	Designed for Obese Patients and Vascular Use	LifeDop® with Display with 5 MHz probe	PHL250-SD5
		LifeDop® with Display with 5 MHz probe Rechargeable	PHL250R-SD5
8 MHz	Vascular Use	LifeDop® with Display with 8MHz probe	PHL250-SD8
		LifeDop® with Display with 8MHz probe Rechargeable	PHL250R-SD8
		LifeDop® with Display with 8MHz sterilizable probe Rechargeable	PHL250R-STN8
Accessories		LifeDop® 2MHz probe - Waterproof	PHSD2W
		LifeDop® 3MHz probe for OB/GYN office and early gestations	PHSD3
		LifeDop® 5 Mhz probe for Vascular use	PHSD5
		LifeDop® 8 Mhz probe for Vascular use	PHSD8
		LifeDop® 8 Mhz sterilizable probe for Vascular use	PHSTN8
		LifeDop® Handheld Doppler Stand with Basket & Theft-proof Bracket	PHK200
		LifeDop® Handheld Doppler Carrying Case for L150/L250	PHK260



NEW
LifeDop® Handheld Doppler
Carrying Case for L150/L250
Part Number: PHK260



LifeDop® Handheld Doppler Stand
with Basket & Theft-Proof Bracket
Part Number: PHK200
(Does Not include Doppler)





Preemie Muffs™ Premature Neonatal Ear Covers


Protecting our smallest patients from acoustic noise in the NICU.

It is now known that loud noises can negatively impact on physiological parameters such as blood pressure, breathing, heart beat and oxygen saturation. When exposed to loud noises, a baby's sleep is interrupted, which then increases stress and energy consumption, which means less energy is used for growth and development.

In the neonatal intensive care unit and during transportation, a premature baby is exposed to a variety of noises. The Parker Neocare Preemie Muffs™ are a safe and comfortable way to provide hearing protection from noises that are generated from:

- Ventilation machines or open care systems
- External and Internal transfers
- During procedures, such as cardiac echoes
- Acoustic noises from the Neonatal Nursery when incubator doors are open or when the neonate or infant is outside the incubator

Preemie Muffs™ are the safe and comfortable way to provide hearing protection for premature babies. They are commonly used within loud environments in the neonatal nursery and during transportation.



Approximate Dimensions		
A	Inner Length	37.5 mm
B	Inner Width	28.3 mm
C	Inner Height	7.0 mm

Part No.	Description	QTY
MP-EM200	Preemie Muffs™ Ear Covers	25 pairs/box



Neonatal First Aid Kit

A first aid kit for basic wound treatment in emergency situations.

Application

For emergency treatment of accidental injuries

Instructions

Open the kit, clean the wound, choose the suitable bandage or dressing to cover the wound. Fix the dressing with a bandage or tape if necessary.

Contraindications

Patients who are allergic to any of the components should not use. If allergic reaction occurs, stop use immediately and consult a doctor if necessary.

Products are all single use.

Part No.	Description
FK-023	Neonatal First Aid Kit


Products Included:

Item	Size	Qty
PE Tape	1.25cm x 9.1m	1 roll
PET Bandage	5 x 250cm	1 roll
Alcohol Pad	3 x 6cm	6 pcs
Hydrocolloid Blister Plaster	41 x 62mm	1 pc
Hydrocolloid Blister Plaster	20 x 60mm	2 pcs
Band-aids (Elastic Fabric)	76 x 38mm	1 pc
Band-aids (Elastic Fabric)	72 x 19mm	4 pcs
Band-aids Waterproof	72 x 19mm	4 pcs





Baby and Kid's Portable Toilet



The container can be extended (400ml)

Happy-Pi Portable Toilet

Flexible and extendable body for easy storage

- Unisex
- Hygienic
- Comes with a colourful design
- Three character faces: Cat, Froggy and Ducky

Part No	Description
PM-MI171-Y	Portable Toilet - Yellow
PM-MI171-W	Portable Toilet - White



Ideal for sealing containers. Contains writable contents tags

SECUR-A-TAG Security Ties

- Tamper-Evident Design
- Assortment of Colours
- Easy to Use - Loop, Insert & Pull
- Write-on Identification Tag
- Secures up to 45mm diameter
- Hundreds of Uses

Part No	Description	QTY
73287-50/A	Assorted Security Ties	50
73287-50/B	Blue Security Ties	50
73287-50/G	Green Security Ties	50
73287-50/P	Pink Security Ties	50
73287-50/R	Red Security Ties	50
73287-50/Y	Yellow Security Ties	50

NOTE: Colours may vary slightly from pictured items



Red



Yellow



Green



Blue



Pink



SECUR-A-TAG
The essential travelling companion



Index

A		H	
Adaptors, Disposable	17	Handheld Doppler Ultrasound System	28
Adult SpO2 Finger Pulse Oximeter	9	Happy-Pi Portable Toilet	30
Atom NeoCot with High/Low Stand	27	High Precision Flowmeter	21
B		HME Trach Filters	20
Black Nipple & Wingnut for Air Flowmeters	24	Humidity Cannula™	15
Blood Pressure Monitor	8	L	
BPAP Machine, ResPlus	24	LifeDop® Handheld Doppler Ultrasound System	28
C		M	
Connectors, Disposable	17	Mask Elbow	17
CPAP Masks	11	Mask, Oxygen Therapy, Elongated, Adult	19
CPR Resuscitators	13	Mask, Oxygen Therapy, Elongated, Paediatric	19
Cylinder Key, Wingscrew and Spanner	24	Mask, Oxygen Therapy, Full Non-Rebreathing, Adult	20
D		Masks, Aerosol Therapy	20
Doppler Systems	28	Masks, Tracheostomy	20
E		MediSelect II Oxygen Piston Regulators (Comweld)	23
Ear Covers, Neonatal	29	Multi-size Tubing Joiner	17
Elbow Connector	17	N	
F		Nasal Cannula, Humidity	15
Face Shield	6	Nasal Cannula, Oxygen	14
First Aid Kit	29	Nasal Cannula, Oxygen, NeoSmart	16
Fixation Tape, Silicone	7	Nasal Cannula, Oxygen, Softi Smoothflow	14
Flowmeter Nipple & Wingnuts	24	Nasal Cannula, Oxygen, Softi Smoothflow, Diagnostic	15
Flowmeters, High & Low Flow	22	Nebulizer, Portable	10
Flowmeters, High Precision, Multy	21	NeoCot with High/Low Stand	27

Index

Neonatal First Aid Kit	29	Suction Handpiece	18
NeoSmart Cannula®	16	Swivel Oxygen Connector	17
Nipple, Flowmeter	24	T	
O		Tape, Silicone	7
O-Series Regulators (Comweld)	22	Thermometers	5–6
Oxygen Analyser, UltraMaxO2	21	Tubing, Expandable, Plastic, Disposable	12
Oxygen Concentrator, Portable	25–26	Tubing, Oxygen, Flexible, Bubble	17
P		Tubing, Oxygen, Non-Kink Star Lumen, Disposable	17
Paediatric SpO2 Finger Pulse Oximeter	9	Tubing, Smooth-Bor, Adult, Disposable	12
PARKERmed Non-contact Infrared Thermometer	6	Tubing, Smooth-Bor, Cuff, Reusable	12
PARKERmed Talking Blood Pressure Monitor	8	Tubing, Suction Connection	18
Perflow High Precision Flowmeter	21	Twin-O-Vac Multi-purpose Suction/Oxygen Device	23
Portable Toilet	30	U	
Premature Neonatal Ear Covers	29	UltraMaxO2 Oxygen Analyser	21
Protective Face Shield	6	V	
R		VISIOFOCUS® Mini Non-contact Thermometer	5
Regulators	22–23	VISIOFOCUS® Non-contact Thermometer	5
Resuscitator, Manual, Disposable	13	W	
Resuscitators, CPR	13	White Nipple & Wingnut for Oxygen Flowmeters	24
S		Y	
SECUR-A-TAG Security Ties	30	Yankauer Suction Handpiece	18
Silicone Fixation Tape	7	Z	
Silicone Nipple Shields	29	Zen-O lite™ Portable Oxygen Concentrator	26
Softi Smoothflow® Diagnostic Cannula	15	Zen-O™ Portable Oxygen Concentrator	25
Suction Connection Tubing	18		

Notes

Notes



TERMS AND CONDITIONS OF SALE

Parker Healthcare (ABN 43 006 420 364) hereafter known as "the Company".

1. All goods purchased in Australia, with the exception of Furniture and orders under \$200.00 are delivered Free Into Store (F.I.S.) (unless otherwise agreed in writing). All goods purchased outside Australia, are supplied at ex-factory prices (unless otherwise agreed in writing).
2. All products delivered to On-sellers and Distributors are supplied at ex-Factory Melbourne prices (unless otherwise agreed in writing).
3. All risks in the products not delivered F.I.S., shall pass to the "Purchaser" when the product leaves the "Company" store and from that point, regardless of how delivery is affected, any insurance shall be the purchaser's responsibility. Please state Insurance Open Policy number on confirmation order.
4. All orders must meet the "Company's" minimum order value of \$200.00. Any order under this limit will attract a "Minimum Order Fee" to the value of the difference between the order and \$200.00.
5. Written quotations are firm for 30 days (unless otherwise stated) from date of writing except for material changes in exchange rates or increases in duty on imported products.
6. Verbal prices quoted are subject to change without notice and are recommended prices only.
7. All orders must be confirmed in writing.
8. All claims for short delivery will only be recognized if made in writing 48 hours from date of delivery.
9. The "Company" takes no responsibility for incorrect freight methods when freight details are not clearly advised at time of ordering and marked on the confirmation order.
10. Payment is strictly net 30 days from date of invoice unless otherwise arranged. It is the option of the "Company" to charge an interest fee of 18.0% p.a. on all amounts outstanding after 30 days.
11. Title to the products shall not pass to the "Purchaser" until the full invoice price has been received by the "Company". The "Purchaser" shall hold the products solely as bailee, returnable on demand, pending passing of title.
12. A Goods Return Authorisation Number must be requested from the "Company" prior to any item being returned for any reason. This number MUST accompany all documentation and all items returned to the "Company" Stores. The "Company" reserves the right to refuse acceptance of returned items not bearing this authorisation number.
13. A 20% minimum restocking charge will apply to all goods returned due to an ordering error by the "Purchaser". Freight on returned goods will be the responsibility of the "Purchaser". Goods held for more than seven (7) days from date of sale will not be accepted for return.
14. Goods supplied as a special make or a one off requirement will not be accepted for return under any circumstances.
15. An official "company" approval number must be quoted when requesting payment for any repairs carried out by an approved Repairer.
16. Disposable products are sold in box quantities.
17. Should a standing order be cancelled or reduced in any significant way, the "Company" reserves the right to recover the costs of any 'no charge' items previously delivered as part of the existing standing order arrangement.
18. Where a customer changes the requested delivery date of an order, payment for the goods is required to be made in accordance with the approved credit terms of the customer, using the original dispatch date as invoice date. Furthermore, if the goods are required to be stored for an extended period, the "Company" reserves the right to charge a holding fee .

Parker Healthcare Pty Ltd
Head Office & International Department:
16 Redland Drive, Mitcham, VIC., 3132 Australia
Phone: +61 (0)3 9872 0222 Facsimile: +61 (0)3 9873 5911
E-mail: sales@parkerhealth.com.au
Represented in all Australian states



AUSTRALIAN OWNED & OPERATED



Sales and Service Australia / Malaysia / New Zealand

Some products and services may not be available to Malaysian and New Zealand customers due to distribution agreements.

All content subject to change without prior notification.

Parker Healthcare Pty Ltd

16 Redland Drive,
Mitcham, VIC., 3132 Australia
Phone: +61 3 9872 0222
Facsimile: +61 3 9873 5911
E-mail: sales@parkerhealth.com.au
www.parkerhealth.com.au

Parker Healthcare Sdn Bhd

No. 22 Jalan Udang Harimau 2, Medan Niaga,
Kepong 51200 Kuala Lumpur Malaysia
Phone: +60 3 6263 2848
Facsimile : +60 3 6262 9848
E-mail: sales@parkerhealth.com.my
www.parkerhealth.com.my

Parker Healthcare NZ Ltd

PO Box 101042, NSMC, North Shore City 0745
Auckland NZ
Phone: +64 9 415 8524
Facsimile: +64 9 415 9672
E-mail: sales@parkerhealth.co.nz
www.parkerhealth.co.nz